



## The R&A, St Andrews

Manufacturer	Product Name	Lofts	Identification Markings
Action International	Bio-Power Bio Dream 360	Strong, Mild, Soft	<b>Sole:</b> BIO POWER, (dual line) 360 (dual line), MILD, AS ROLL $\beta$ -TITANIUM, CUSTOM MADE BY MSG, BIO DREAM <b>Crown:</b> (arrow alignment mark) <a href="#">View Photo</a>
Acushnet Japan, Inc.	Titleist 975 J-VS H-CR	7.5°, 8.5°, 9.5°,  10.5°, 11.5°  (click "view photo" for conforming version)	<b>Sole:</b> (loft), Titleist, (elongated triangle) (elongated triangle), PRO-TITANIUM, 975J-VS <b>Face:</b> H-C <sub>R</sub> <b>Crown:</b> (triangle and line alignment mark) <a href="#">View Photo</a>
Acushnet Japan, Inc.	Titleist 975 L-FE H-CR	7.5°, 8.5°, 9.5°,  10.5°, 11.5°  (click "view photo" for conforming version)	<b>Sole:</b> (loft), Titleist, (elongated triangle) (elongated triangle), PRO-TITANIUM, 975L-FE <b>Face:</b> H-C <sub>R</sub> <b>Crown:</b> (triangle and line alignment mark) <a href="#">View Photo</a>
Acushnet Japan, Inc.	Titleist 983K H-CR	8.5°, 9.5°, 10.5°, 11.5°  (click "view photo" for conforming version)	<b>Sole:</b> (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983K, H-C <sub>R</sub> <b>Crown:</b> (triangle and line alignment mark) <a href="#">View Photo</a>
Acushnet Company	King Cobra 400 SZ Tour Unlimited	8.5°, 9.5°  (click "view photo" for conforming version)	<b>Sole:</b> (loft), KING, cobra, 400 SZ, TOUR UNLIMITED, (nine punchmarks), 33.8 CM <sup>2</sup> SWEET ZONE/HI-COR, MILLED, TITANIUM <b>Crown:</b> (Cobra logo alignment mark) <a href="#">View Photo</a>

Acushnet Company	King Cobra 400 SZ Unlimited	7.5°,9.0°,10.5°,12.0°	<p><b>Sole:</b> (loft), KING, cobra, 400 SZ, UNLIMITED, (nine punchmarks), 33.8 CM<sup>2</sup> SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra 414 Comp Unlimited	7.5°,9.0°,10.5°,12.0°	<p><b>Sole:</b> (loft), COMPOSITE TOP, KING, cobra, 414 COMP, UNLIMITED, 35.0 CM<sup>2</sup> SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra 454 Comp Unlimited	7.5°,9.0°,10.5°,12.0°	<p><b>Sole:</b> (loft), COMPOSITE TOP, KING, cobra, 454 COMP, UNLIMITED, 41.0 CM<sup>2</sup> SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra HS9 F/ST 460 (Version 1)	9° (RH Only)	<p><b>Sole:</b> (shield insert), (loft), (line), F/ST, KING, cobra, HS9, (shield insert)</p> <p><b>Toe:</b> F/ST SPEED RANGE 125-155 mph</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra Unlimited SS 370 (Version 1)	7.5°,9°,10.5°,12°	<p><b>Sole:</b> (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 26.0 CM<sup>2</sup> SWEET SPOT</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra Unlimited SS 370 (Version 2)	7.5°,9°,10.5°,12°	<p><b>Sole:</b> (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 27.0 CM<sup>2</sup> SWEET SPOT</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>

Acushnet Company	King Cobra Unlimited SS 370 (Version 3)	7.5°,9°,10.5°,12°	<p><b>Sole:</b> (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 26.0 CM<sup>2</sup> SWEET SPOT</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra Unlimited SS 370 (Version 4)	7.5°,9°,10.5°,12°	<p><b>Sole:</b> (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 27.0 CM<sup>2</sup> SWEET SPOT</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra Unlimited SS 430	7.5°,9°,10.5°	<p><b>Sole:</b> (loft), KING, cobra, UNLIMITED SS, (line), 430, BETA TITANIUM, HI-C.O.R. / 27.0 CM<sup>2</sup> SWEET SPOT</p> <p><b>Face:</b> DAT 55G+</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Acushnet Company	King Cobra Unlimited SZ 440	7.5°,9°,10.5°,12°	<p><b>Sole:</b> (loft), KING, cobra, 440 SZ, UNLIMITED, (nine punchmarks), 37.7 CM<sup>2</sup> SWEET ZONE/HI-COR, MILLED TITANIUM</p> <p><b>Crown:</b> (Cobra logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Adams Golf	GT 363-R	9°,10°,11°	<p><b>Sole:</b> (triangle logo), ADAMSGOLF, (line), GT (dot), TITANIUM 363-R, TIGHT LIES, (loft)</p> <p><b>Face:</b> .860, STANDARD</p> <p><b>Crown:</b> (triangle alignment mark)</p> <p><a href="#">View Photo</a></p>
akia Golf Co.	Dream Tour SV-400 Tour Spec	9°	<p><b>Sole:</b> DR, Dream Tour, SV-400 (curved line), akia, (line), TOUR SPEC, (circular weight), (circular weight), (loft)</p> <p><b>Toe:</b> DREAM (w/ triangle in M), TOUR</p> <p><a href="#">View Photo</a></p>
Akira Products Co., Ltd.	Akira 375 L.C.R.	9°	<p><b>Sole:</b> (Akira logo) AKIRA, 375, (loft) L.C.R., (line), FORGED</p> <p><b>Toe:</b> (Akira logo)</p> <p><a href="#">View Photo</a></p>
Akira Products Co., Ltd.	Akira 400 L.C.R.	10°	<p><b>Sole:</b> (Akira logo) AKIRA, 400, (loft) L.C.R., (line), FORGED</p> <p><b>Toe:</b> (Akira logo)</p> <p><a href="#">View Photo</a></p>

Akira Products Co., Ltd.	Akira 425 L.C.R.	11°	<b>Sole:</b> (Akira logo) AKIRA, 425, (loft) L.C.R., (line), FORGED <b>Toe:</b> (Akira logo) <a href="#">View Photo</a>
Akira Products Co., Ltd.	Akira 415 Forged Titanium	10°	<b>Sole:</b> (Akira logo) AKIRA, (line), 415, (vertical line), FORGED TITANIUM <a href="#">View Photo</a>
Akira Products Co., Ltd.	Akira 425 Forged Titanium	11°	<b>Sole:</b> (Akira logo) AKIRA, (line), 425, (vertical line), FORGED TITANIUM <a href="#">View Photo</a>
AMC Co., Ltd.	Decatan -Z-	10.5°	<b>Sole:</b> 1 (loft), DECATAN -Z-, 460 TANJYAKU, FORGED TITAN, a.m.c. <a href="#">View Photo</a>
AMC Co., Ltd.	Charger X'-II	10.5°	<b>Sole:</b> 1 (loft), a.m.c, CHARTER X'-II, EASY TO HIT, 460-Ti <b>Face:</b> 15.3.3.3 <a href="#">View Photo</a>
Amer Sports UK Ltd.	Wilson Deep Red Forged Ti 400	10.5°	<b>Sole:</b> (W logo), DEEP RED, TI, FORGED, 400, (line), (loft) <a href="#">View Photo</a>
Ashton Golf, LLC	X-1 455	6.5°,7.5°	<b>Sole:</b> (loft), ((ASHTON, X <sub>1</sub> ) over blasted AG logo), Moly Titanium <b>Crown:</b> (AG logo alignment mark) <a href="#">View Photo</a>
AT Golf, Inc.	H·R·G 2	(click "view photo" for conforming version) 9°	<b>Sole:</b> TURBO-POWERTM (logo), H·R·G 2, (loft), FORGED TITANIUM, TRUE FACE DENSITY, T·F·D, SERIES <b>Crown:</b> (alignment arrow) <a href="#">View Photo</a>
AT Golf, Inc.	Turbo-Plus TM 588	9.5°	<b>Sole:</b> (oval graphic) TURBO-PLUS™, TM588 (line under 88), (loft) <b>Crown:</b> (alignment arrow) <a href="#">View Photo</a>
Bang Golf	Big Big Bang 525cc	6°,9°,10°	<b>Sole:</b> BANG(registered trademark symbol), GOLF, 525, BIG BIG BANG, 1 (loft), SP700, eW, BETA TITANIUM <a href="#">View Photo</a>
Bang Golf	Dark Matter 400 Cryo eW	4°,5°,6°	<b>Sole:</b> BANG, GOLF, DARK MATTER, 400, Cryo eW Titanium, (loft) <a href="#">View Photo</a>

Bang Golf	Bang-O-Matic	7.5°	<p><b>Sole:</b> BANG®, GOLF, BANG-O-MATIC BANG-O-MATIC (target graphic), (loft w/o degree symbol), FA, SYSTEM (in recessed rectangle)</p> <p><a href="#">View Photo</a></p>
		(click "view photo" for conforming version)	
Bridgestone Sports Co., Ltd.	Access VP-02	10.5°,11.5°,12.5°	<p><b>Sole:</b> 1, ., ACCESS, HI-DRAW, (sideways S) VP-02 (sideways S), DESIGNED BY, YUJI NUMAZAWA, BRIDGESTONE, (HI-DRAW CONCEPT and HD logo on oval insert)</p> <p><b>Back:</b> ..HYPER ARROW SOLE..</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Access VP-X	10.5°,11.5°,12.5°	<p><b>Sole:</b> 1, ., ACCESS, vp-x, (...Y.N DESIGN... on oval), (HI-DRAW CONCEPT and HD logo on oval insert)</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Beam SD+	9°,10°,11°	<p><b>Sole:</b> BEAM (inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (SD+ in triangular recess)</p> <p><b>Back:</b> Bridgestone</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Beam CL	12°,13°	<p><b>Sole:</b> (BEAM inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (CL in triangular recess)</p> <p><b>Back:</b> Bridgestone</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Beam CL HR	12°,13°	<p><b>Sole:</b> (loft) 1, BEAM CL, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 360HR</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Beam Z HR	9.5°,10.5°	<p><b>Sole:</b> (loft) 1, BEAM Z, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 430HR</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>

Bridgestone Sports Co., Ltd.	Break The Mode Joe Spec.	10°	<p><b>Sole:</b> B::M, BREAK THE MODE, JOE SPEC. , FORGED TITANIUM, DRIVER, LOFT, (loft) (loft is surrounded by 3 triangles)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Newing NS-03 EZ-Drive	9°,10°,11°	<p><b>Sole:</b> 1, LOFT (loft), Newing, NS-03, Bridgestone, EZ-DRIVE</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Newing EZ-Drive 501D	9.5°,10.5°	<p><b>Sole:</b> Newing, EZ-Drive, 501-D, 1, LOFT (loft)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Spec.	10°	<p><b>Sole:</b> DRIVER, LOFT (loft), TOURSTAGE, MR-23, (diamond), U.S. SPEC., BRIDGESTONE</p> <p><b>Back:</b> AS-ROLLED, NEO B TITANIUM, FACE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Drive	9.5°,10.5°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> (Bridgestone logo), TOURSTAGE, MR-23, (diamond), U.S. DRIVE, DRIVER. (loft)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo) TOURSTAGE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 330	9°,10°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 330-, BRIDGESTONE, DRIVER, (loft), (V mark)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 360	9°,10°,11°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 360-, BRIDGESTONE, DRIVER, (loft), (V mark)</p> <p><a href="#">View Photo</a></p>

Bridgestone Sports Co., Ltd.	Tourstage RX-1 Type 275 Prospec	8°,9°	<p><b>Sole:</b> TOURSTAGE, ATHLETE SPIRIT, PROSPEC, -RX-1 TYPE 275-, 1, BRIDGESTONE</p> <p><b>Back:</b> LOFT, (loft), (arrow graphic)</p> <p><b>Toe:</b> (Bridgestone logo)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage Synergy	9.5°,10.5°,12.5°	<p><b>Sole:</b> TOURSTAGE, SYNERGY, FOUR PIECE, CONSTRUCTION, (loft), (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage Synergy Deep	9.5°	<p><b>Sole:</b> TOURSTAGE, SYNERGY, (two dots) DEEP (2 dots), (loft), (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE, FOUR PIECE, CONSTRUCTION</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage Synergy 420	9.5°,10.5°,11.5°	<p><b>Sole:</b> OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert)</p> <p><b>Toe:</b> (Tourstage logo), TOURSTAGE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage Synergy 460	10.5°	<p><b>Sole:</b> 460, OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert)</p> <p><b>Toe:</b> (Tourstage logo), TOURSTAGE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage V700	8°,9°,10°,11°	<p><b>Sole:</b> (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V700, GRAVITY CONTROL DESIGN, BRIDGESTONE, 1</p> <p><b>Back:</b> AS-ROLLED, NEO β TITANIUM, LOFT (loft), DELTA SOLE</p> <p><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage V800	9°,11°	<p><b>Sole:</b> (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V800, GRAVITY CONTROL DESIGN, 1 (in circle), MOON SOLE</p> <p><b>Back:</b> BRIDGESTONE, (circular weight insert), SAT-2041, β TITANIUM FACE, LOFT (loft)</p> <p><a href="#">View Photo</a></p>

Bridgestone Sports Co., Ltd. Tourstage V34 CL 12.5°,13.5° **Sole:** TOURSTAGE, V34 (line under 34), CL, BRIDGESTONE, (loft)  
**Back:** (three circular weight inserts with three punchmarks)  
**Toe:** (Bridgestone logo), TOURSTAGE  
**Crown:** (V alignment mark)

Bridgestone Sports Co., Ltd. Tourstage V36 9.5°,10.5°,11.5°,12.5° **Sole:** TOURSTAGE, V36 (line under 36), BRIDGESTONE, (loft)  
**Back:** (three circular weight inserts with three punchmarks)  
**Toe:** (Bridgestone logo), TOURSTAGE  
**Crown:** (V alignment mark)

[View Photo](#)

Bridgestone Sports Co., Ltd. Tourstage V40 9.5°,10.5°,11.5°,12.5° **Sole:** TOURSTAGE, V40 (line under 40), BRIDGESTONE, (loft)  
**Back:** (three circular weight inserts with three punchmarks)  
**Toe:** (Bridgestone logo), TOURSTAGE  
**Crown:** (V alignment mark)

[View Photo](#)

Bridgestone Sports Co., Ltd. Tourstage ViQ (HR) 9.5°,10.5°,HT **Sole:** (Tourstage logo), TOURSTAGE, ViQ, (loft), (circular weight insert)  
**Heel:** BRIDGESTONE  
**Crown:** (V alignment mark)

[View Photo](#)

Bridgestone Sports Co., Ltd. Tourstage ViQ CL 12.5°,13.5° **Sole:** (Tourstage logo), TOURSTAGE, ViQCL(line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)  
**Back:** BRIDGESTONE  
**Crown:** (V alignment mark)

[View Photo](#)

Bridgestone Sports Co., Ltd. Tourstage ViQ CL HR 12.5°,13.5° **Sole:** (Tourstage logo), TOURSTAGE, ViQ (line under iQ), CL, (loft), (circular weight insert)  
**Heel:** BRIDGESTONE  
**Crown:** (V alignment mark)

[View Photo](#)

[View Photo](#)

Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°	<p><b>Sole:</b> (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo), TOURSTAGE</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°, HT	<p><b>Sole:</b> (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo), TOURSTAGE</p> <p><b>Crown:</b> (V alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD 425	9.5°,10.5°, HT	<p><b>Sole:</b> (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 425 (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo), TOURSTAGE</p> <p><b>Crown:</b> (V alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD 450	9.5°,10.5°, HT	<p><b>Sole:</b> (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 450 (circular weight insert)</p> <p><b>Back:</b> BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo), TOURSTAGE</p> <p><b>Crown:</b> (V alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE Type 350	8°,9°,10°	<p><b>Sole:</b> (logo), TOURSTAGE, X-DRIVE, TYPE 350, FORGED TITANIUM, 1 (loft), BRIDGESTONE</p> <p><b>Toe:</b> (Bridgestone logo), TOURSTAGE</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE 405 HR	9,5°,10.5°	<p><b>Sole:</b> (logo), TOURSTAGE, X-DRIVE, (loft), TURBO RUBBER TECHNOLOGY</p> <p><b>Back:</b> (square)405(square)HR</p>

(click "view photo" for conforming version)

Bridgestone Sports Co., Ltd.	Tourstage Whopper	10°,11°	<p><b>Heel:</b> BRIDGESTONE</p> <p><b>Toe:</b> (logo) TOURSTAGE</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> TOURSTAGE, Whopper, 420, BRIDGESTONE, DRIVER, (loft), (V mark)</p>
Callaway Golf Company	Big Bertha+	9°,10°,11°,13°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Callaway, Golf, (curved line), BIG BERTHA+, (line), TITANIUM, (curved line), (loft)</p> <p><b>Crown:</b> (Chevron logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	Big Bertha 460 HT (Version 2)	13°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> (loft)HT, (Chevron logo), BIG BERTHA (with raised dash in the B in "BIG"), (line), 460</p> <p><b>Back:</b> Callaway, GOLF</p> <p><b>Crown:</b> (Chevron logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	E.R.C Forged Titanium Driver	8°,9°,10°,11°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> E • R • C, FORGED, TITANIUM, (loft), Callaway, GOLF</p> <p><b>Crown:</b> (alignment mark)</p>
Callaway Golf Company	E.R.C II Forged Titanium Driver	7°,8°,9°,10°,11°,12°,12.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> BIG BERTHA, E •, R •, C, II, (loft), FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF</p> <p><b>Crown:</b> (alignment mark)</p>
Callaway Golf Company	E.R.C II Pro Spec	8.5°,9.5°,10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> BIG BERTHA, E •, R •, C, II, (loft), PRO SPEC, FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF</p> <p><b>Crown:</b> (alignment mark)</p>
Callaway Golf Company	E.R.C.+ Fusion	8.5°,9.5°,9°,10°,11°,12°,13°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> E •R •C+, (line), FUSION, (line), (loft), (Chevron logo insert)</p> <p><b>Back:</b> Callaway, Golf</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>

Callaway Golf Company	E.R.C. Hot	9°,10°,11°,13°	<p><b>Sole:</b> (curved line), E•R•C, HOT, (loft), (Chevron logo insert)</p> <p><b>Toe:</b> (line), FUSION, (line), TECHNOLOGY</p> <p><b>Back:</b> Callaway, Golf</p> <p><b>Crown:</b> (Chevron logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	E.R.C. Hot HS	8°,9°	<p><b>Sole:</b> (curved line), E•R•C, HOT, (loft)HS, (Chevron logo insert), (triangle)HS(triangle)</p> <p><b>Toe:</b> (line), FUSION, (line), TECHNOLOGY</p> <p><b>Back:</b> Callaway, Golf</p> <p><b>Crown:</b> (Chevron logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	Great Big Bertha II+	8.5°,9°,9.5°, 10°,11°,12°	<p><b>Sole:</b> (loft), GREAT BIG BERTHA, (two curved lines)II+(two lines), driver</p> <p><b>Back:</b> (plastic insert with Callaway, Golf)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	Great Big Bertha II+ 415	9°,10°,11°	<p><b>Sole:</b> (loft), GREAT BIG BERTHA, (two curved lines)II+(two lines), 415, driver</p> <p><b>Back:</b> (plastic insert with Callaway, Golf)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	Great Big Bertha II+ǎ	9°,10°,11°,13°	<p><b>Sole:</b> (vertical curved line), (loft), GREAT BIG BERTHA, (two curved lines)II(two lines), ǎ</p> <p><b>Back:</b> (plastic insert with Callaway, Golf)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Callaway Golf Company	X-18	9°,10°,12°	<p><b>Sole:</b> Callaway, Golf, X18, (loft)</p> <p><b>Toe:</b> CORRECT ADDRESS, (logo), SOLE DESIGN</p> <p><b>Back:</b> (line), FUSION, (line), TECHNOLOGY</p> <p><b>Face:</b> X</p> <p><b>Crown:</b> (Chevron logo alignment mark)</p> <p><a href="#">View Photo</a></p>

Central Kosho Co., Ltd.	Spalding Tour Edition 385 Ti	10.5°	<p><b>Sole:</b> 1 (loft), TOUR EDITION, (five lines), 385Ti, TOUR WAVE, CONTROL, (oval insert with TUNGSTEN BALANCE)</p> <p><b>Toe:</b> (S and laurel logo), SPALDING</p> <p><a href="#">View Photo</a></p>
Chujyo Co., Ltd.	Kamui 320	10°	<p><b>Sole:</b> KAMUI, (320 within flag graphic), DIRECTION &amp; DISTANCE, 1</p> <p><b>Toe:</b> (flag graphic), TITAN FORGED, LOFT (loft)</p> <p><a href="#">View Photo</a></p>
Chujyo Co., Ltd.	Kamui Pro Model 320	11°	<p><b>Sole:</b> KAMUI, PRO MODEL, (320 within flag logo), DIRECTION &amp; DISTANCE, 1</p> <p><b>Toe:</b> (flag logo), TITAN FORGED, LOFT (loft)</p> <p><a href="#">View Photo</a></p>
Chujyo Co., Ltd.	Kamui Pro V	10°	<p><b>Sole:</b> KAMUI, PRO V, (flag logo), KAMUI, 1</p> <p><b>Toe:</b> (flag logo), TITAN FORGED, LOFT (loft)</p> <p><a href="#">View Photo</a></p>
Chujyo Co., Ltd.	Typhoonpro 380	10°,11°	<p><b>Sole:</b> Typhoonpro, 380, DRIVER (loft), (flag graphic), KAMUI, TITANIUM</p> <p><a href="#">View Photo</a></p>
Cleveland Golf	HiBore XL	10.5° (RH Only)	<p><b>Sole:</b> HiBore (w/ line) (w/ raised dot present anywhere in "H" only), XL, (Cleveland Golf logo in oval), (loft)</p> <p><b>Toe:</b> Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY</p> <p>(click "view photo" for conforming versions)</p> <p><b>Crown:</b> (Cleveland logo alignment mark)</p> <p><b>Heel:</b> HIGH MOI</p> <p><b>Face:</b> (w/ or w/o "FFP")</p> <p><a href="#">View Photo</a></p>
Cleveland Golf	Launcher NC-X	9.5°,10.5°	<p><b>Sole:</b> CLEVELAND, (line), LAUNCHER, NC-X, (Cleveland Golf logo), (loft), TITANIUM</p> <p><a href="#">View Photo</a></p>
Cleveland Golf	Launcher 460 NC-X	9.5°,10.5°	<p><b>Sole:</b> CLEVELAND, (line), LAUNCHER, 460 · NC-X, (Cleveland Golf logo), (loft), TITANIUM</p> <p><a href="#">View Photo</a></p>
Cleveland Golf	Launcher 460 NC-X2	9.5°,10.5°	<p><b>Sole:</b> CLEVELAND, (line), LAUNCHER ·, NC-X2, (Cleveland Golf logo), (loft), TITANIUM</p>

Climb Free, Inc.	Birth Blackbullet 350	N/A	<p><b>Toe:</b> LAUNCHER 460</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> BLACKBULLET, PREMIUM EDITION, HIGH PRESSURE <math>\beta</math> TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 350</p>
Climb Free, Inc.	Birth Blackbullet 385	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> BLACKBULLET, PREMIUM EDITION, HIGH GRADE COR <math>\beta</math> TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 385, SHAPE</p>
Crews Co., Ltd.	C-Drive 390	9.5°,10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Forged SP700, Titanium Face, C-Drive (with D in circle) 390, (line) (loft), (line), (line), CREWS, (line), CREWS WAVE</p>
Crews Co., Ltd.	C-Drive 415	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> C-DRIVE 415, THE FINEST TUNE, 415 FORGED, CREWS GOLF, (loft)</p> <p><b>Toe:</b> (C logo)</p>
DAB Korea Co., Ltd.	DK-310	9°,10.5°,11°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), (teradactyl graphic), DABKO, DK-310, HANDWORK TITANIUM, TI-15.3.3.3</p> <p><b>Crown:</b> (arrow alignment mark)</p>
DAB Korea Co., Ltd.	Powerplus PP-340	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), Flow Weight System, (POWER overlapping PLUS), PP-340, Sense Power, Ti-15.3.3.3</p> <p><b>Crown:</b> (arrow alignment mark)</p>
DAB Korea Co., Ltd.	Powerplus DK-360	7°,9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> DK-360, (teradactyl graphic), (POWER overlapping PLUS), TI-15.3.3.3, (loft)</p> <p><b>Crown:</b> (arrow alignment mark)</p>
DAB Korea Co., Ltd.	DK-360	9°,10.5°,11°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> DK-360, (teradactyl graphic), DABKO, TI-15.3.3.3, (loft)</p> <p><b>Crown:</b> (arrow alignment mark)</p>
Daiwa Corporation	G-3 901 Ti-01	12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 12, G-3 901 Ti-01, COMBINED, TITANIUM STRUCTURES, Daiwa</p>

Daiwa Seiko, Inc.	G3 Hyper Titan	10.5°, 12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), G-3, <i>HYPER, TITAN</i>, COMBINED, TITANIUM STRUCTURES, Daiwa</p> <p><b>Toe:</b> HYPER TITANIUM , 15Mo-5Zr-3Al, &amp;, 15V-3Al</p>
Daiwa Seiko, Inc.	G3 902 Ti-01	12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), G-3 902 Ti-01, COMBINED, TITANIUM STRUCTURES, Daiwa</p> <p><b>Toe:</b> HYPER, TITANIUM, 15Mo-5Zr-3Al &amp; 15V-3Al</p> <p><b>Crown:</b> (diamond shape alignment mark)</p>
Daiwa Seiko, Inc.	G3 SUPERDRIVE	9.5°,10.5°,11.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> G-3, SUPERDRIVE, TITANIUM, PERFECT IMPACT, SYSTEM, COR-VERSION II, 1, (loft in octagon)</p> <p><b>Toe:</b> Z I, ZONEIMPACT, EXPLOSIVE DISTANCE</p> <p><b>Crown:</b> (V alignment mark)</p>
Daiwa Seiko, Inc.	ONOFF (Standard & Lady)	8°,9°,10°,11°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> ONOFF, INNER KICK HEAD &amp;, HYPER TITANIUM PLUS II, 1 (in circle), (loft), DRIVER</p> <p><b>Toe:</b> (square O logo)</p> <p><b>Heel:</b> Daiwa (upside down)</p> <p>(click "view photo" for conforming version)</p>
Daiwa Seiko, Inc.	ONOFF	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> ONOFF, SUPER POWER CROWN, PLASMA HYPER TITANIUM, FULL TITAN, (three circles with "V", "S", "L" connected with three lines forming triangle), BALANCE, (loft in recessed circle)</p> <p><b>Toe:</b> (square O logo)</p>
Daiwa Seiko, Inc.	ONOFF 380	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> ONOFF, INNER KICK HEAD, LOFT: (loft)/VOLUME: 380</p> <p><b>Toe:</b> (square O logo)</p> <p><b>Heel:</b> Daiwa</p>
Daiwa Seiko, Inc.	ONOFF 390	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> ONOFF, SWING ASSIST SYSTEM, VOLUME: 390/LOFT: (loft), (plus symbol)</p> <p><b>Toe:</b> (square O logo)</p> <p><b>Back:</b> TRIPTONIC DESIGN</p> <p><a href="#">View Photo</a></p>

Daiwa Seiko, Inc.	ONOFF 410	9°,10°,11°	<p><b>Sole:</b> ONOFF, SWING ASSIST SYSTEM, VOLUME: 410/LOFT: (loft), (1 in circle)</p> <p><b>Toe:</b> (square O logo)</p> <p><b>Back:</b> TRIPTONIC DESIGN</p> <p><a href="#">View Photo</a></p>
Daiwa Seiko, Inc.	GIII 400	12.5°	<p><b>Sole:</b> GIII: 1, SWING ASSIST SYSTEM, LASER HYPER TITANIUM, LOFT: (loft) VOLUME: 400</p> <p><a href="#">View Photo</a></p>
Daiwa Seiko, Inc.	GIII 420	10°,11.5°	<p><b>Sole:</b> GIII: 1, SWING ASSIST SYSTEM, LASER HYPER TITANIUM, LOFT: (loft) VOLUME: 420</p> <p><a href="#">View Photo</a></p>
David Corporation	DV 420	8.5°,9.5°	<p><b>Sole:</b> 1 (loft), TVC TITANIUM, DV 420, DAVID</p> <p><b>Toe:</b> DV</p> <p><a href="#">View Photo</a></p>
Day Golf Co., Inc.	Drive Tru	N/A	<p><b>Sole:</b> DAY GOLF Co., (Drive (r), (line), 1 Tru in oval), MINDEN, NV, PAT. PEND.</p> <p><b>Crown:</b> (line alignment mark)</p> <p><a href="#">View Photo</a></p>
Delta Golf Co., Ltd.	Newbery Navarone 500c.c.	8°	<p><b>Sole:</b> (loft), <b>NEWBERY</b>, (line)SINCE 1919(line), NAVARONE, <b>Rebound-Forged-Titanium</b>, 500c.c.</p> <p><b>Toe:</b> SUPER BETA FORGED, TITANIUM</p> <p><a href="#">View Photo</a></p>
Diamond Tour Golf	Turner ZR-02	10°	<p><b>Sole:</b> (loft), TURNER (β in circle), (underline), ZR-02, SP700</p> <p><b>Crown:</b> (Beta symbol alignment mark)</p> <p><a href="#">View Photo</a></p>
Diamond Tour Golf	Turner 508	10°	<p><b>Sole:</b> (loft), 508, (double line), TURNER</p> <p><b>Crown:</b> (Beta symbol alignment mark)</p> <p><a href="#">View Photo</a></p>
Diamond Tour Golf	Grand Hawk II	8°,10°	<p><b>Sole:</b> Driver, GRAND HAWK, (three lines) II (three lines), (loft)</p> <p><b>Back:</b> (GRAND ♦ HAWK in oval insert)</p> <p><b>Crown:</b> (GH alignment mark)</p> <p><a href="#">View Photo</a></p>
Diamond Tour Golf	Grand Hawk II	8°,9°,10°,11°	<p><b>Sole:</b> Driver, GRAND HAWK, (three lines) II (three lines), (loft)</p> <p><b>Back:</b> (GRAND ♦ HAWK in oval insert)</p> <p><a href="#">View Photo</a></p>

				<p><b>Toe:</b> GH  <b>Crown:</b> (GH alignment mark)</p> <p><a href="#">View Photo</a></p>
Diamond Tour Golf	Pit Viper PV/427	8°,9°,10°,11°	<p><b>Sole:</b> PIT (line), VIPER, PV/427, (loft), (six circles)  <b>Face:</b> β  <b>Crown:</b> (P alignment mark)</p> <p><a href="#">View Photo</a></p>	
Diamond Tour Golf	Pit Viper PV/427	10°,11°,12°	<p><b>Sole:</b> PIT (line), VIPER, PV/427, (loft), (six circles)  <b>Face:</b> β  <b>Toe:</b> PV  <b>Crown:</b> (P alignment mark)</p> <p><a href="#">View Photo</a></p>	
Diamond Tour Golf	MDD 872	8.5°,9.5°,11.5°,12.5°  (click "view photo" for conforming version)	<p><b>Sole:</b> (loft), MDD, (arrow graphic), 872 Titanium  <b>Face:</b> 15-3-3-3  <b>Crown:</b> (P alignment mark)</p> <p><a href="#">View Photo</a></p>	
Diamond Tour Golf	Tour Lies Red Streak	10.5°,11.5°	<p><b>Sole:</b> Tour Lies, (curved segmented line), RED STREAK, (curved segmented line), (loft), 460cc Forged Beta Titanium  <b>Face:</b> 15-3-3-3</p> <p><a href="#">View Photo</a></p>	
Dogleg Right Corp.	HOG DRIVER by Impact Golf Tech.	10°	<p><b>Sole:</b> FORGED BETA Ti, (loft), HOG, XTL, DRIVER, Dogleg Right / IMPACT GT  <b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>	
Dono Sports Corp.	DynaCube Fo-Gen	8.5°	<p><b>Sole:</b> (D logo), Dono golf, (loft)</p> <p><a href="#">View Photo</a></p>	
Dynacraft Golf	Blue Steel	10°	<p><b>Sole:</b> micro-fine, 17-4, stainless, BLUESTEEL, TS229 YS188TM, 1, (loft), Dynacraft(registered trademark symbol)  <b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>	
Eon Sports Co., Ltd.	Fairline ZX	10.5°	<p><b>Sole:</b> FAIRLINE ZX, ZX, NEW AERMET &amp; SUPER ALLOY, 1, EON, SPORTS  <b>Back:</b> (loft)  <b>Toe:</b> (Fairline logo)</p> <p><a href="#">View Photo</a></p>	
Eon Sports Co., Ltd.	Fairline Pride	9°,10°,11.5°	<p><b>Sole:</b> FAIRLINE, PRIDE, (line), VCT CROWN TECHNOLOGY  <b>Back:</b> Loft (loft), Gravity Control System, GR 20°</p> <p><a href="#">View Photo</a></p>	

Eon Sports Co., Ltd.	Giga XF 420	9.5°	<p><b>Toe:</b> P, Fairline, Pride (Fairline logo)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> EON SPORTS, GIGA, XF420 PRO, 1 (loft), T-VC TITAN</p> <p><b>Back:</b> (golfer logo), NATURAL TURN, D.E.S.I.G.N</p>
Epon Golf Co., Ltd.	Technity 415ZR H·COR	9.5°,10.5	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TECHNITY, (line), Forged, TITAN, 415, H·COR</p> <p><b>Toe:</b> EPON, ENDO PRODUCT</p> <p><b>Heel:</b> SUPER AS ROLL, (loft) H·COR</p>
Epon Golf Co., Ltd.	Technity 460ZR H·COR	9.5°,10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TECHNITY, (line), Forged TITAN, 460, H·COR</p> <p><b>Toe:</b> EPON, ENDO PRODUCT</p> <p><b>Heel:</b> SUPER AS ROLL, (loft) H·COR</p>
Equiam Ltd.	Lynx Parallax (Version 2)	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Lynx, PARALLAX, 460cc, (3 curved lines), 1 (loft), TITANIUM CARBON</p> <p><b>Toe:</b> (Lynx logo)</p> <p><b>Heel:</b> DRAW BIAS</p> <p><b>Crown:</b> (alignment mark)</p>
Fine Earth Enterprises, Ltd.	Nano Power Pro	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (NANO-POWER through diamond graphic), (loft), PRO</p> <p><b>Back:</b> (line) 1 (line)</p> <p><b>Toe:</b> (Thin Power, Distance Formula® through diamond shape)</p>
Foresta Co., Ltd.	Lancaster Super XD1	9.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (L logo), LANCASTER, SUPER, XD1</p> <p><b>Toe:</b> (L logo)(loft)</p>
Foresta Co., Ltd.	Gear Max GMX-500	9.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> GEAR MAX, (line), FORGED TITANIUM, (5 blocks), 1 (loft), GMX-500, (5 blocks)</p>
Foresta Co., Ltd.	PX 380V	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> PX, (line) 380V, (loft) 1, TITANIUM, W-TUNABLE WEIGHT</p> <p><b>Toe:</b> PX, (line) 380V</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>

Foresta Co., Ltd.	Tommy Armour Royal Scot	9.5°,10.5°	<p><b>Sole:</b> Royal (underlined) (RS logo) Scot (underlined), Tommy Armour, (logo), (loft) (underlined)</p> <p><b>Toe:</b> (logo)</p> <p><a href="#">View Photo</a></p>
Foresta Co., Ltd.	Tommy Armour Torch IP	9.5°,10.5°	<p><b>Sole:</b> Tommy Armour, (logo), TORCH, (SUPER HARD COATED through IP), (loft)</p> <p><b>Toe:</b> (logo)</p> <p><b>Heel:</b> (logo) 460</p> <p><a href="#">View Photo</a></p>
Fourteen Co., Ltd.	Deep One JC	10.5°	<p><b>Sole:</b> DEEP-ONE SHAPE, for the Discerning Golfer, JC, (circular weight insert)</p> <p><b>Back:</b> FOURTEEN, (feather graphic)</p> <p><a href="#">View Photo</a></p>
Foresta Co., Ltd.	Tear Drop Cyber Crown	8°,9°,10°	<p><b>Sole:</b> TearDrop, cyber crown, (line), VER.2, (TG on weight screw), 1 (loft), -DAT55G TI FULL BODY.</p> <p><b>Back:</b> cyber crown, (line)</p> <p><b>Toe:</b> C2</p> <p><a href="#">View Photo</a></p>
Golf Coast/Vector Golf	Seahawk II	10.5°	<p><b>Sole:</b> (loft), SEAHAWK, (line), II, BETA , (line), TI, 10-2-3</p> <p><b>Face:</b> Beta-Ti, 2.65</p> <p><b>Crown:</b> ("S" alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Golf Coast/Vector Golf	Vector III	6.5°,9°	<p><b>Sole:</b> (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3</p> <p><b>Face:</b> Beta-Ti, 2.7</p> <p><b>Crown:</b> ("V" alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Golf Coast/Vector Golf	Vector III	9° °	<p><b>Sole:</b> (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3</p> <p><b>Face:</b> Beta-Ti, <u>2.8</u></p> <p><b>Crown:</b> ("V" alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Golf Hands	Delight 460	5°	<p><b>Sole:</b> 1 (loft), Delight 460, <b>Ultimate Distance</b>, B2041 Titan Face, Four-Piece Body, 6AL4V Ti-Body</p> <p><a href="#">View Photo</a></p>

Golf Planner Co., Ltd.	Ultimate Distance Tour Concept 380 Step Sole Design	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TOUR CONCEPT, STEP SOLE, DESIGN (in rectangle), FOR GRAVITY, CONTROL, 1, Loft. (loft) <b>Toe:</b> (logo)</p> <p><b>Back:</b> SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 380SS (in plastic insert)</p>
Golf Planner Co., Ltd.	Tour Concept 360 Round Sole Design	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 LOFT. (loft), TOUR CONCEPT, ROUND SOLE DESIGN <b>Toe:</b> (logo)</p> <p><b>Back:</b> SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 360RS (in plastic insert)</p>
Golf Planner Co., Ltd.	Tobunda 400	10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), TOBUNDA, 400, SP-700, TITANIUM, 1 (loft)</p> <p><b>Toe:</b> 400, TOBUNDA <b>Crown:</b> (logo alignment mark)</p>
Golf System Co., Ltd	SEAD	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> SEAD, 450cc FORGED TITANIUM, SAMSUNG GOLF, EQUIPMENT, ANALYZER &amp;, DATA SYSTEM, 1 (loft), DAT600C Ti Face</p>
Golfsmith International, Inc.	Killer Bee Stinger	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), Killer Bee, (bee graphic), Stinger, HOT•FACE, Beta, TITANIUM, 360CC</p> <p><b>Toe:</b> Does Not Conform, USGA, App.II,5a <b>Crown:</b> (alignment mark)</p>
Golfsmith International, Inc.	Killer Bee Stinger 500	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (curved line), (loft in hexagon), BETA TITANIUM, (bee graphic), ((line), STINGER, 500 over honeycomb pattern graphic), KillerBee</p> <p><b>Toe:</b> Does Not Conform, USGA, App.II,5a, (curved line) <b>Crown:</b> (arrow alignment mark)</p>
Golfsmith International, Inc.	Lynx Parallax Tour	8.5°,9.5°,10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (Lynx logo), Lynx <b>PARALLAX, TOUR</b>, Hi-C.O.R., BETA TITANIUM, DRIVER, (loft), (swing speed) MPH</p> <p><b>Face:</b> βTi</p>

Golfsmith International, Inc.	Snake Eyes AerMet(tm)	9°,10°,11°	<p><b>Crown:</b> Lynx</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> CMF, SNAKE (Snake Eyes logo), EYES , 1, (loft) AerMet(tm), (line), CMF, (swing speed) MPH  <b>Toe:</b> AerMet, (line), FORGED FACE</p>
Golfsmith International, Inc.	Snake Eyes Fire Forged	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> SNAKE (Snake Eyes logo), EYES, 1, <b>FIRE</b> , <b>FORGED</b>, (loft), TITANIUM, 320cc CMF, (swing speed) MPH</p> <p><b>Face:</b> (Snake Eyes logo)  <b>Toe:</b> FIRE, (arc), Beta, Ti, (arc), FORGED</p>
Golfsmith International, Inc.	Snake Eyes Viper COR+	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 430cc, SNAKE EYES (Snake Eyes logo), VIPER, TITANIUM, (loft), COR+  <b>Face:</b> COR+  <b>Toe:</b> (semi-circle) Beta, FORGED, Ti (semi-circle) Heel: Does Not Conform, USGA, App. II, 5a, (semi-circle)</p> <p>(click "view photo" for conforming version)</p> <p><b>Crown:</b> (Snake eyes logo alignment arrow)</p>
Golfstore Group AB	TS Pro MX-12	9°,10.5°,12°,14°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (ts logo), PRO, (arrow) DUAL TECH (arrow), TITANIUM, 425cc  <b>Back:</b> MX12</p>
Golfwell Inc.	TOUR PRO FORMA BETA TI 300cc	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> <b>TOUR</b> , PRO FORMA , • • • , (line), • • • • , <b>1</b>, (line), (logo), BETA TI, 300 CC</p> <p><b>Face:</b> Ti 15-3  <b>Crown:</b> (alignment arrow)</p>
Golfwell Inc.	TPF BETA Ti 300cc	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> <b>TPF</b> , • • • • , (line), • • • • • , <b>1</b>, (line), BETA Ti, 300 CC</p> <p><b>Face:</b> Ti 15-3  <b>Crown:</b> (recessed oval)</p>
Golfwell Inc.	TPF MCOR	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, • , TPF, MCOR, 1,</p> <p><b>Face:</b> Ti 15-3 (two horizontal punchmarks)  <b>Crown:</b> (alignment mark)</p>
Golfwell Inc.	TPF MCOR	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, • , TPF, MCOR, 1,</p> <p><b>Face:</b> Ti 15-3 (two vertical punchmarks)  <b>Crown:</b> (alignment mark)</p>

Golfwell Inc.	TPF MCOR	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, •, TPF, MCOR, 1,</p> <p><b>Face:</b> Ti 15-3</p> <p><b>Crown:</b> (alignment mark)</p>
Golfwell Inc.	TPF MCOR Offset	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, •, TPF, MCOR, 1,</p> <p><b>Face:</b> Ti 15-3</p> <p><b>Crown:</b> (alignment mark)</p>
Golfwell Inc.	TPF MCOR 365cc	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, •, TPF, MCOR, 1, 365cc</p> <p><b>Face:</b> Ti 15-3 (two horizontal punchmarks)</p> <p><b>Crown:</b> (alignment mark)</p>
Golfwell Inc.	TPF MCOR 365cc	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Beta Ti, •, TPF, MCOR, 1, 365cc, (single weight port on sole)</p> <p><b>Face:</b> Ti 15-3 (two horizontal punchmarks)</p> <p><b>Crown:</b> (alignment mark)</p>
GolfWorks	Maltby Mr. Big 505	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (three triangles logo), MR. <b>BIG</b> , 505, MALTBY(underline)</p>
GolfWorks	Maltby EGO II	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> MALTBY, (line), EGO II, TI-451 BETA TITANIUM, 1, (loft) • 410cc</p> <p><b>Back:</b> BLACK BOX METAL</p> <p><b>Crown:</b> (triangle alignment mark)</p> <p>(click "view photo" for conforming version)</p>
GolfWorks	Maltby Xstreamliner II	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (three triangles logo), Xstreamliner (over X in a circle graphic), (loft) • 400cc, BETA•TITANIUM</p> <p><b>Face:</b> SP700</p> <p><b>Crown:</b> (II alignment mark)</p>
GolfWorks	Maltby CT 250	6°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft)</p> <p><b>Back:</b> (three weight screws)</p> <p><b>Crown:</b> (CT alignment mark)</p> <p><a href="#">View Photo</a></p>

GolfWorks	Maltby CT 250 LD	6°	<p><b>Sole:</b> MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft)-LD</p> <p><b>Back:</b> (three weight screws)</p> <p><b>Crown:</b> (CT alignment mark)</p>
Grand Golf Company, LLC	Grand Golf	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (G logo), GRAND®, Golf</p> <p><b>Back:</b> (fixed weight protusion w/ G logo and three dots)</p>
Grand Prix Co. Ltd.	GP415 US. Spec	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (airplane logo), TARGET, ((THEROOPTHEROOPTHEROOP in outer circle), (ic in inner circle)), GP415, US. Spec (loft), GRAND PRIX TECHNOLOGY</p> <p><b>Toe:</b> GRAND PRIX</p> <p><b>Crown:</b> (alignment mark)</p>
Hal Sports	HSPB DR-9	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> HSPB SYSTEM DR-9, Center of Gravity, 1=HSPB, (line), 100, (seven in line circles increasing in diameter, the last circle containaing a circle within a triangle graphic), The Power Balance, Theory of Relativity, (squigly line)</p>
Harima Golf Co.	Max Carry 395	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> <b>MAX CARRY</b>, DRIVER OF DREAM, (M in broken circle logo), Ti 1 (loft), 395, TWIN SCREW OF AERODYNAMICS</p>
Hireko Golf	Acer Super Titan 400	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> ACER, SUPER, <b>TITAN</b>, <b>400</b>, (loft)</p> <p><b>Crown:</b> (alignment mark)</p>
Hireko Golf	Acer Super Titan 500	8.5°, 10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), SUPER, TITAN, 500, ULTRASIZED, ACER</p> <p><b>Crown:</b> (dot alignment mark)</p>
Hireko Golf	Acer XP 450	10.5°, 15°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), XP, TITANIUM, 450cc</p> <p><b>Back:</b> (acer over two curved lines on rectangular insert)</p> <p><b>Crown:</b> (dot alignment mark)</p> <p><a href="#">View Photo</a></p>

Hireko Golf	Catapult 450	10.5°	<b>Sole:</b> TITANIUM, (underline), <b>CATAPULT</b> , (underline), <b>450cc</b> , (loft) <b>Crown:</b> (dot alignment mark)
Hireko Golf	Impex Plus 450	8.5°	<a href="#">View Photo</a> <b>Sole:</b> Impex, PLUS, FORGED, TITANIUM, 450cc, 1,(loft)
Hireko Golf	Power Play Select 5000 450cc	8.5°,9°,10.5°,12° °,14°	<a href="#">View Photo</a> <b>Sole:</b> Tungsten, (loft), Power Play, SELECT, <b>5000</b> , (line), HI-C.O.R. TITANIUM, 450CC <b>Crown:</b> (dot alignment mark)
Hireko Golf	Power Play Select 5000 400 GTI Edition	9°	<a href="#">View Photo</a> <b>Sole:</b> (loft), SELECT, <b>5000</b> , (line), GTI EDITION, TI 400, (curved insert w/ four ball bearings) <b>Toe:</b> Power Play <b>Crown:</b> (dot alignment mark)
Hireko Golf	Impex Megasize 2 Offset	10.5°,12°	<a href="#">View Photo</a> <b>Sole:</b> OFFSET TITANIUM, Impex, MEGASIZE 2, 430cc, 1, (loft)
Hireko Golf	Synchron Medic Ti	10.5°	<a href="#">View Photo</a> <b>Sole:</b> (loft), ((three mock Allen screws), SYNCHRON, MEDIC, (three mock Allen screws) in rectangular outline), Ti
Hireko Golf	Synchron Revolver 455cc	10.5°	<a href="#">View Photo</a> <b>Sole:</b> (bell-shaped outlines), (loft), Revolver, TITANIUM, 455cc, (SYNCHRON on rectangular insert) <b>Crown:</b> (dot alignment mark)
Hirota Golf Co. Ltd.	El Nino 460 RX	8.5°,10.5°	<a href="#">View Photo</a> <b>Sole:</b> (loft), (El Nino 460 RX, Deep Impact over RX graphic), Power Impact Body <b>Toe:</b> (logo) <b>Heel:</b> PROFESSIONAL ATHLETE, SUPER COMPOSITE, RX <b>Face:</b> 10-2-3 BTi
Hirota Golf Co. Ltd.	Yokozuna	10.5°	<a href="#">View Photo</a> <b>Sole:</b> 1 (loft), Yoko, Zuna, FORGED β-TITANIUM <a href="#">View Photo</a>

Honma Golf	Beres MG711 460	9°,10°	<p><b>Sole:</b> -460-, (loft), MG711 (box outline r), (line), BERES, (three lines (B logo in circle) three lines on oval insert), - (star(s))-</p> <p><b>Toe:</b> SAKATA STUDIO, HONMA, MADE IN JAPAN(triangle)</p> <p><b>Crown:</b> (alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Honma Golf	Beres MG712 460	9°,10°	<p><b>Sole:</b> BERES, MG712, (box outline r), -460-, (five punch marks), FORGED TITANIUM</p> <p><b>Toe:</b> HONMA (w/ mole in O logo), MADE IN JAPAN, SAKATA</p> <p><b>Back:</b> (B logo), (star(s)), (loft)</p> <p><b>Crown:</b> (alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 400	9°,10°,11°	<p><b>Sole:</b> 1 (loft), 400, AMAZING SPEC , H(mole in O logo)NMA, TITANIUM, (large Honma logo) (small Honma logo), Twin Marks</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> Hiro Honma (signature), TWIN MARKS 400</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 450	10°	<p><b>Sole:</b> 450, AMAZING SPEC , H(mole in O logo)NMA, TITANIUM 1 (loft), (large Honma logo) (small Honma logo). Twin Marks</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle), JV</p> <p><b>Crown:</b> (logo alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 380RF-C	11.5°,13°	<p><b>Sole:</b> 380RF-C, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (recessed circular weight insert), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert), (recessed circular weight insert)</p> <p><b>Toe:</b> HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (H within a C logo alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>

Honma Golf	Twin Marks 400RF Carbonium	10.5°	<p><b>Sole:</b> (H logo in circle) Twin Marks (H logo in circle), ((400RF in small oval), CARBONIUM in large oval), 1 (loft), H(mole in O logo)NMA</p> <p><b>Crown:</b> (logo alignment mark)</p>
Honma Golf	Twin Marks 808RF Carbonium	9.5°,10.5°,11.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> Twin Marks, ((808RF in small oval), Carbonium in large oval), 1, (loft), H(mole in O logo)NMA</p> <p><b>Hosel:</b> MADE IN JAPAN, SAKATA</p> <p><b>Back:</b> (H within a C logo, HONMA GOLF in oval, carbonium on oval insert)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED</p> <p>FACE(triangle)</p> <p><b>Crown:</b> (logo alignment mark)</p>
Honma Golf	Twin Marks 400RF Ti	8°,9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 400RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (large Honma logo) (small Honma logo), Twin Marks</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED</p> <p>FACE(triangle), JV</p>
Honma Golf	Twin Marks 420RF Ti	8°,9°,10°,11°	<p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> 420RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (curved line), ((large Honma logo) (small Honma logo), Twin Marks in oval insert)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED</p> <p>FACE(triangle)</p> <p><b>Crown:</b> (H within a C alignment mark)</p>
Honma Golf	Twin Marks 425RF Ti	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 425RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (recessed circular weight), (waved line), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert)</p>

				<p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (H within a C alignment mark)</p> <p><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 460RF Amazing Spec	9°,10°	(click "view photo" for conforming version)	<p><b>Sole:</b> 460RF, TITANIUM, AMAZING SPEC, H(mole in O logo)NMA, (curved line), (H logo in circular insert) Twin Marks (H logo in circular insert), (r in recessed parallelogram), (loft)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (H within a C alignment mark)</p> <p><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 355 Ti	9.5°,10.5°	(click "view photo" for conforming version)	<p><b>Sole:</b> H(mole in O logo)NMA, (triangle) 355Ti (triangle), (large Honma logo insert)(small Honma logo insert). 1. (loft)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle), JV</p> <p><b>Crown:</b> Hiro Honma (signature), TWIN MARKS 355</p> <p><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 360 Ti	9.5°,10.5°,11.5°	(click "view photo" for conforming version)	<p><b>Sole:</b> 1, Twin Marks, 360Ti, (triangle) (loft) (triangle), H(mole in O logo)NMA, (two recessed circles), (circular weight insert with three punchmarks), (two recessed circles)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><a href="#">View Photo</a></p>
Honma Golf	Twin Marks 380 Ti	9.5°,10.5°,11.5°	(click "view photo" for conforming version)	<p><b>Sole:</b> (Honma logo)Twin Marks(Honma logo), 380, TITANIUM, 1 (loft), H(mole in O logo)NMA, (circular weight insert with three punch marks)</p> <p><a href="#">View Photo</a></p>

Honma Golf	Twin Marks 385 Ti	9°,10°	<p>(click "view photo" for conforming version)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (H within a C alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), 385 Ti, H(mole in O logo)NMA, (circular weight insert with three punch marks)</p>
Honma Golf	Twin Marks 385-S Ti	9°,10°,11°	<p>(click "view photo" for conforming version)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (three ellipses alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), -S-, 385 Ti, H(mole in O logo)NMA, (circular weight insert with three punch marks)</p>
Honma Golf	Twin Marks 400 Ti	9.5°,10.5°,11.5°	<p>(click "view photo" for conforming version)</p> <p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (three ellipses alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1, Twin Marks, 400Ti, (triangle) (loft) (triangle), H(mole in O logo)NMA, (two recessed circles), (circular weight insert with three punchmarks), (two recessed circles)</p>
Honma Golf	Twin Marks 500 Ti	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (recessed oval insert with (large Honma logo)(small Honma logo), Twin Marks), AMAZING SPEC, 500 Ti, (triangle)(loft)(triangle), H(mole in O logo),NMA</p>

Honma Golf	Twin Marks MG410 Carbonium	10.5°,11.5°	<p><b>Toe:</b> H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)</p> <p><b>Crown:</b> (recessed alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> Twin Marks, (recessed curve) MG410 (recessed curve), Carbonium (over box outlining r), (loft), AMAZING SPEC, H(mole in O logo)NMA</p> <p><b>Back:</b> (triangle)FORGED FACE(triangle), MADE IN JAPAN, SAKATA</p> <p><b>Toe:</b> (H within a C logo, HONMA GOLF, Carbonium within recessed oval insert)</p> <p><b>Crown:</b> (H within a C alignment mark)</p> <p><a href="#">View Photo</a></p>
Honma Golf	Twin Marks MG460	9°,10°	<p><b>Sole:</b> ((H in circle)(H in circle), Twin Marks, AMAZING SPEC in oval insert), MG460(underlined)RF(line through box outlining r), (loft), H(mole in the hole logo)NMA</p> <p><b>Hosel:</b> MADE IN JAPAN, SAKATA</p> <p><b>Toe:</b> H(mole in the hole logo)NMA, (triangle) TITANIUM (triangle)</p> <p><b>Crown:</b> (H within a C alignment mark)</p> <p><a href="#">View Photo</a></p>
Impact Golf Technologies	Carrera II Turbo	10.5°	<p><b>Sole:</b> 2 PIECE FORGED, BETA TITANIUM, 1, <u>10.5°</u>, CARRERA II, <u>TURBO</u>, DIAVAPORE, BY, CITIZEN</p> <p><b>Crown:</b> (C logo)</p> <p><a href="#">View Photo</a></p>
I N C Yamamoto Pro Golf Shop	Blue Power 425 (Version 2)	10°	<p><b>Sole:</b> 1 (425 over 1), (loft), (7 stars), BLUE (star logo), POWER, SP-700, TITANIUM</p> <p><b>Toe:</b> (star logo)</p> <p><a href="#">View Photo</a></p>
Infiniti Golf, Inc.	Infiniti PFD 455	9°,10.5°	<p><b>Sole:</b> (loft), <b>INFINITI</b> (logo superimposed), PFD455, PROGRESSIVE, FACE, DIMENSION, PAT PEND</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>

Infiniti Golf, Inc.	Big'UN 475	10°	<b>Sole:</b> (loft) <b>BIG'UN</b> , POWER DRIVE 475, FORGED, TITANIUM <b>Crown:</b> (alignment mark) <a href="#">View Photo</a>
Infiniti Golf, Inc.	Macho Express 400	8°	<b>Sole:</b> MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft no.)LoftX 4, 400CC <a href="#">View Photo</a>
Insignia Golf, Inc.	F.L.Y	(click "view photo" for conforming version) 10°	<b>Sole:</b> (segmented curve graphic), 1 (loft), INSIGNIA (w/ flag graphic on I), GOLF, F·L·Y, Beta TITANIUM, (segmented curve graphic) <b>Crown:</b> (dot alignment mark) <a href="#">View Photo</a>
International Sports CNS , Inc.	US Tour X-400 Earth Ti	9.5°	<b>Sole:</b> HYPER, (loft), US TOUR, (line), X (cross in circle symbol) 400 (three horizontal lines). EARTH TI <b>Face:</b> β-Ti <a href="#">View Photo</a>
International Sports CNS , Inc.	US Tour X-400 Earth Ti-J	10.5°	<b>Sole:</b> HYPER, (loft), US TOUR, (line), X (cross in circle symbol) 400 (three horizontal lines), EARTH TI-J <b>Face:</b> β-Ti <a href="#">View Photo</a>
Isolation Co., Ltd.	IS-400	(click "view photo" for conforming version) 9°,10°,11°,12°	<b>Sole:</b> IS-400, 1, (line with two dots), ISOLATION, Can strike be a good shot!, FORGED TITANIUM, MADE IN JAPAN <a href="#">View Photo</a>
Jazz Golf Equipment, Inc.	P2W Ball Launcher 500cc	8°,9°,10°	<b>Sole:</b> JAZZ, P2W (loft), (three horizontal dashes) BALL LAUNCHER (three horizontal dashes), SP700, (Jazz logo in triangle), PLAY TO WIN, = 500CC =, www.jazzgolf.com <b>Crown:</b> (Jazz logo alignment mark) <a href="#">View Photo</a>

Jazz Golf Equipment, Inc.	Bear Cat	10°	<p><b>Sole:</b> HOT FORGED, TITANIUM, Bear (four lines) Cat, JAZZ, 1, (loft), (line), LOFT, (three punchmarks in circle), (three punchmarks in circle)</p> <p><b>Crown:</b> (Jazz logo alignment mark)</p> <p><b>Face:</b> (Jazz logo)</p> <p><a href="#">View Photo</a></p>
John Letters Golf Ltd.	T-Series	10.5°	<p><b>Sole:</b> (loft), JOHN LETTERS, of Scotland - since 1918, 460cc, T-SERIES</p> <p><b>Back:</b> TITANIUM</p> <p><b>Crown:</b> (JL logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Justick Co., Ltd.	Advantage II Proceed	9°,11°,12.5°	<p><b>Sole:</b> ADVANTAGE, II, PROCEED (with line through proceed), FOR YOUR NEXT STAGE, JUSTICK, (bird logo), (star)</p> <p><b>Toe:</b> JUSTICK, (bird logo)</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330	11°	<p><b>Sole:</b> To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, 330</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330	9°,10°,11°	<p><b>Sole:</b> To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 330</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330L	12°,13°	<p><b>Sole:</b> To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 330L</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337G	9°,10°,11°	<p><b>Sole:</b> To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-G</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>

Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337H	9°	<p><b>Sole:</b> To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-H</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Athlete Version 337S	9°,10°,11°	<p><b>Sole:</b> To-Be, ARMA, (line), ATHLETE VERSION, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 337-S</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Assoluto Distance 360	9°,10°	<p><b>Sole:</b> To-Be, ARMA, (line), ASSOLUTO DISTANCE, FORGED TITAN 1, GORILLA, MADE IN JAPAN, (loft), 360</p> <p><b>Toe:</b> (Gorilla logo)</p> <p><b>Back:</b> ALL BODY SP-700</p> <p><a href="#">View Photo</a></p>
Kane Golf Products	Missile Launcher	9°,10°	<p><b>Sole:</b> 1 (loft), Missile Launcher, CR1023 Titanium, Kaneqolf.com</p> <p><a href="#">View Photo</a></p>
Kasco Corporation	DNA AS Model	10.5°,11.5°	<p><b>Sole:</b> DNA , ( Kasco logo), kasco, Design for New Athletes, AS Model, 1 (loft), S-AGING TITANIUM (in circular insert)</p> <p><b>Toe:</b> ( Kasco logo)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Kasco Corporation	Power Tornado	9°,10°,11°,13°	<p><b>Sole:</b> 1 (loft), DD-FOUR, <b>POWER TORNADO</b>, S-AGING TITANIUM, (K logo, Kasco in circular insert)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Kasco Corporation	Power Tornado D-Max 460	9.5°,10.5°	<p><b>Sole:</b> 1, (loft), POWER TORNADO, (line), D-MAX 460, FIBER TITANIUM</p> <p><b>Back:</b> (K logo) Kasco, DRIVING BOOSTER</p> <p><a href="#">View Photo</a></p>
Kasco Corporation	K-860	8°,9°,10°,11°	<p><b>Sole:</b> 1, (K logo), kasco, K-860, (loft), INTENSIFIED TITANIUM, 400cc, (K logo, Kasco in circular insert)</p> <p><a href="#">View Photo</a></p>

Kasco Corporation	TM-01	9°,10°,11°	<b>Sole:</b> POWER, TORNADO, DRIVER, (Kasco logo)kasco, (loft), TM01 <a href="#">View Photo</a>
Kasco Corporation	Royal	(click "view photo" for conforming version) 10°,11°	<b>Sole:</b> (skewed rectangle with kasco, (◆KASCO◆ROYAL in circular insert), 1, (loft)), (diamond insert with < KASCO (KR in circle) ROYAL >)  <a href="#">View Photo</a>
Katana Golf USA	Sword 350 Ti	(click "view photo" for conforming version) 9°,10°,11°	<b>Sole:</b> 1, (loft), SWORD 350 Ti, The Dreamy Distance, AS ROLL FACE, FORGED B TITANIUM <b>Toe:</b> KATANA GOLF, (Katana Golf logo) <b>Face:</b> AS ROLL  <a href="#">View Photo</a>
Katana Golf Co., Ltd.	Sword 855	10°	<b>Sole:</b> SWORD, 855, Slit Sole Technology, (loft) <b>Toe:</b> (Katana Golf logo) <b>Back:</b> KATANA CO., LTD. JAPAN  <a href="#">View Photo</a>
Katana Golf Co., Ltd.	Sword Izu Type-3	9°	<b>Sole:</b> SWORD, (circular weight insert), IZU, (TYPE-3 in oval), (loft) <b>Toe:</b> (Katana Golf logo) <b>Back:</b> KATANA CO., LTD. JAPAN  <a href="#">View Photo</a>
Katana Golf Co., Ltd.	Sword Izu Type-5	9°,10°,11°	<b>Sole:</b> SWORD, (circular weight insert), IZU, (TYPE-5 in oval), (loft) <b>Toe:</b> (Katana Golf logo) <b>Back:</b> KATANA CO., LTD. JAPAN  <a href="#">View Photo</a>
Katana Golf Co., Ltd.	Sword Izu Type-7	9°,10°,11°	<b>Sole:</b> SWORD, (circular weight insert), IZU, (TYPE-7 in oval), (loft) <b>Toe:</b> (Katana Golf logo) <b>Back:</b> KATANA CO., LTD. JAPAN  <a href="#">View Photo</a>
Katana Golf Co., Ltd.	Sword 870 CTi	9°,10°,11°	<b>Sole:</b> SWORD, 870 CTi, Carbon Composite, Slit Sole Technology, (loft) <b>Toe:</b> (Katana Golf logo)  <a href="#">View Photo</a>

			<b>Back:</b> KATANA CO., LTD. JAPAN
			<a href="#">View Photo</a>
Katana Golf Co., Ltd.	RX-5	9.5°,10.5°,11.5°	<b>Sole:</b> RX-5, ((circular weight insert), TUNGSTEN, ADJUST, MODE, (loft) on arrow graphic) <b>Toe:</b> (Katana Golf logo) <b>Back:</b> KATANA CO., LTD. JAPAN
			<a href="#">View Photo</a>
Kent Graphtec	INTEGRA 400cc	10.5°	<b>Sole:</b> (Integra logo) INTEGRA (r), FORGED TITANIUM, 10.5°, 400CC, 90Ti-6AL-4V <b>Crown:</b> (Integra logo)
			<a href="#">View Photo</a>
Kent Sports	Alpha Reaction 400cc	10.5°	<b>Sole:</b> (loft), FORGED TI, (logo), Alpha, Reaction, ACTIVEBETA FACE, 400CC <b>Crown:</b> (alpha symbol alignment mark)
			<a href="#">View Photo</a>
Kent Sports	Silver Diamond R425	12°	<b>Sole:</b> (circular weight), (loft), SILVER DIAMOND (w/ S in diamond), TITANIUM, R425, (circular weight) <b>Back:</b> (circular weight)
			<a href="#">View Photo</a>
Keystone, Inc.	Ken's Metalica 405	10.5°	<b>Sole:</b> KEN'S METALICA, 405 (3 circles), LFT FA LIE, (loft), 7137 <b>Toe:</b> Ken's Champ <b>Crown:</b> (two curves alignment mark)
			<a href="#">View Photo</a>
King Par Corporation	Hti 440 (High COR)	8.5°,9.5°	<b>Sole:</b> ORLIMAR, (line), HTi440, ((loft), LOFT, 1 on arrow insert) <b>Face:</b> COR
			<a href="#">View Photo</a>
Lark Sports Corporation	Optima	10°	<b>Sole:</b> (loft), (three interlocking O's)PTIMA, (line), SPRING FACE SP700, FORGED BETA TITANIUM, 500CC
			<a href="#">View Photo</a>
LiquidMetal Golf	Professor Johnson 330cc	11°	<b>Sole:</b> PROFESSOR, JOHNSON, (long line), (short line), 330cc, (LM logo), 1 (loft), LIQUIDMETAL, (short line), (long line), PURE ENERGY TRANSFER <b>Toe:</b> (LM logo) <b>Crown:</b> (LM logo alignment mark)
			<a href="#">View Photo</a>

M K Trading Co Ltd	Revolver 901	10.5°	<p><b>Sole:</b> Revolver, DISTANCE REVOLUTION, 901, (460cc, (loft) through oval)</p> <p><a href="#">View Photo</a></p>
MacGregor Golf Co.	MACTEC NV2 ix400	9°,10°,11°	<p><b>Sole:</b> •ix400•, NV2, Navigation equipment, (loft), DR 1, Driving one, (line), MacGregor, MACTEC, (circular insert with three punchmarks)</p> <p><b>Toe:</b> (whirlpool graphic), Driving satisfaction</p> <p><a href="#">View Photo</a></p>
MacGregor Golf Co.	MACTEC NVG2 (Japan Model)	9°,10°,11°	<p><b>Sole:</b> (curved line), (loft), NVG2, Cup Face Technology, HIGH REBOUND VER., MACTECH, MacGregor, (NVG2, DUAL β Ti on insert), (two weight screws)</p> <p><b>Toe:</b> (weight screw)</p> <p><b>Hosel:</b> CONFORMING TO R&amp;A SLE, RULE UNTIL 31-12-07 USGA, NON-CONFORMING</p> <p><b>Heel:</b> (weight screw)</p> <p><a href="#">View Photo</a></p>
MacGregor Golf Co.	MACTEC NV3 420	9°,10°,11°	<p><b>Sole:</b> NV3 420, Dual Tungsten &amp; Quadra, DR 1 (loft), MacGregor, (small circular weight insert) (large circular weight insert), (NV3 420 Driving Force in rectangular insert), MACTEC (TEC in rectangle)</p> <p><b>Toe:</b> (whirlpool graphic), Driving satisfaction, The 3rd Generation</p> <p><a href="#">View Photo</a></p>
MacGregor Golf Co.	MACTEC NVG 435 (JP Version)	9°,10°,11°	<p><b>Sole:</b> NV JP Model, NVG 435, Quadra Tungsten &amp; Titanium, MACTEC (TEC in rectangle), (loft), DR 1, MacGregor, (large weight screw) (small weight screw), (NVG, Dual β Titanium on rectangular insert)</p> <p><b>Toe:</b> (weight screw)</p> <p><b>Heel:</b> (weight screw)</p> <p><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	Dreadnaught Model-402	10°	<p><b>Sole:</b> <b>DREADNAUGHT</b> , <b>MODEL- 402</b>, 1 (loft), (Maruman logo) maruman</p> <p><a href="#">View Photo</a></p>

Maruman Golf Co., LTD .	Majesty Power Head	12°	<p><b>Sole:</b> MAJESTY, TITANIUM, (Maruman Crest)1., POWER HEAD , (Maruman Logo) maruman</p> <p><b>Toe:</b> (Maruman logo), maruman</p> <p><b>Face:</b> MAJESTY, (crown logo)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	Majesty 360cc	10.5°,12°	<p><b>Sole:</b> TITANIUM, MAJESTY, ("MJ" &amp; "SCIENCE AND ART" logo), 1, (Maruman Logo), maruman</p> <p><b>Toe:</b> THE TOUGHEST, 10-2-3, TITANIUM</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	V-SONIC	10°,11°	<p><b>Sole:</b> REACTIVE SOLE, TITANIUM 380, 1, V-SONIC, (logo), maruman</p> <p><b>Toe:</b> Advanced Technology, BRICH840TITAN</p> <p><b>Crown:</b> (alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	Bigwin X- ZONE	9°,10°,11°	<p><b>Sole:</b> Bigwin , X- ZONE , (line), MODEL-402, 1, (logo), maruman</p> <p><b>Toe:</b> LEVI CAST, ("BW" logo), TITANIUM</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	X- ZONE Big-e	10°,11°	<p><b>Sole:</b> Big-e, LEVICAST TITAN, X- ZONE , MODEL 435, 1, (loft)</p> <p><b>Crown:</b> (encircled X alignment mark)</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	Exim 360cc	9°	<p><b>Sole:</b> EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p><b>Toe:</b> MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p><b>Back:</b> -360-</p> <p style="text-align: right;"><a href="#">View Photo</a></p>
Maruman Golf Co., LTD .	Exim 380cc	10°	<p><b>Sole:</b> EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p><b>Toe:</b> MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p><b>Back:</b> -380-</p> <p style="text-align: right;"><a href="#">View Photo</a></p>

Maruman Golf Co., LTD .	Exim 400cc	11°	<p><b>Sole:</b> EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p><b>Toe:</b> MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p><b>Back:</b> -400-</p> <p><a href="#">View Photo</a></p>
McHenry Metals Golf, Inc.	Tour Pure II 400	8°,9.5°,11.5°	<p><b>Sole:</b> McHenry, (McHenry logo), METALS, FORGED, TOURPUREii 400, BETA TITANIUM, (loft)</p> <p><b>Back:</b> POWERRING TECHNOLOGY</p> <p><b>Crown:</b> (McHenry logo)</p> <p><a href="#">View Photo</a></p>
McKenly International, Corp.	XIUS 450	12°	<p><b>Sole:</b> 1 (loft), XIUS, (line) 450, STRONGER, FORGED B-TITANIUM, (M logo) McKenly</p> <p><b>Toe:</b> MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p><b>Back:</b> -400-</p> <p><a href="#">View Photo</a></p>
MI Trading Co., LTD (Ishino Golf)	Massgoo 386	9°	<p><b>Sole:</b> MASSGOO, 1 (loft), ISHINO, GOLF, (TUNGSTEN BALANCE on oval metal insert)</p> <p><b>Toe:</b> (Ishino logo), MASSGOO 386</p> <p><b>Back:</b> FORGED B-TITANIUM</p> <p><a href="#">View Photo</a></p>
Mitsubishi International, Inc.	Stellar 2000 QTS	10.5°	<p><b>Sole:</b> STELLAR, (bird logo in circle), 2000, QTS, (loft)</p> <p><b>Toe:</b> FORGED TITAN</p> <p><a href="#">View Photo</a></p>
Miura Giken Co., Ltd.	MD 390 Precious Edition	9°	<p><b>Sole:</b> MD390, (MG logo), (line), Precious Edition, (line), W.D.D. CONCEPT, (loft) 1</p> <p><a href="#">View Photo</a></p>
Mizuno	300E	9°,10°,11°,11.5°	<p><b>Sole:</b> 1,(loft), STRONG-FORGED-Ti, MIZUNO, CORTECHNO DESIGN, 300E</p> <p><b>Toe:</b> (Mizuno logo)</p> <p><a href="#">View Photo</a></p>
Mizuno	300R	10.5°,12°	<p><b>Sole:</b> MIZUNO , SUPER, STRONG FORGED, TITANIUM, 300R, VACRA, 15-6-4 , 1, (loft), CORTECHNO DESIGN,</p> <p><b>Toe:</b> (logo)</p> <p><b>Face:</b> VACRA</p> <p><a href="#">View Photo</a></p>

Mizuno	300 SII 315	8°,9°,10°	<p><b>Sole:</b> (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, STRONG FORGED, TITANIUM, 1 (loft)/315, CORTECHNO DESIGN</p> <p><b>Toe:</b> (Mizuno logo)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	300 SII 330	8°,9°,10°,11°,12°	<p><b>Sole:</b> (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECHNO DESIGN</p> <p><b>Toe:</b> (Mizuno logo)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	300 SII 380	9°,10°	<p><b>Sole:</b> (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, 1 (loft)/380, CORTECHNO DESIGN</p> <p><b>Toe:</b> (Mizuno logo)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	300 SII E-Type 330	8°,9°,10°,11.5°,12.5°	<p><b>Sole:</b> (Mizuno logo), 300 SII - EType, STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECH DESIGN</p> <p><b>Back:</b> MIZUNO</p> <p><b>Toe:</b> (Mizuno logo)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	BlueFire	8°,9°,10°,11°	<p><b>Sole:</b> 1 (loft), <b>MIZUNO</b>, BlueFire, (line), (BlueFire logo), FORGED TITANIUM</p> <p><b>Back:</b> MIZUNO</p> <p><b>Crown:</b> (Mizuno alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	BlueFire 350cc	9°,10°,11°	<p><b>Sole:</b> 1 (loft), <b>MIZUNO</b>, BlueFire, (line), 350, ( BlueFire logo), FORGED TITANIUM</p> <p><b>Back:</b> MIZUNO</p> <p><b>Crown:</b> (Mizuno alignment mark)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>
Mizuno	Grand Monarch Royal Cresta	11°	<p><b>Sole:</b> Royal Cresta, (1 in circle), GRAND MONARCH, (insert)</p> <p><b>Face:</b> (sword and arrow shield graphic)</p> <p><b>Crown:</b> (Royal Cresta superimposed over crest graphic)</p> <p>(click "view photo" for conforming version)</p>	<p><a href="#">View Photo</a></p>

Mizuno	Intage TiMg iE	10°,11°	<p><b>Sole:</b> intage, TiMg iE (in oval), (loft) 1  <b>Toe:</b> (M logo in oval)  <b>Crown:</b> intage</p> <p><a href="#">View Photo</a></p>
Mizuno	Intage Ti/MG	9°,10°,11°,13.5°	<p><b>Sole:</b> intage, (line) Ti/Mg, Mizuno (with M logo), (loft) 1  <b>Toe:</b> (M logo)  <b>Crown:</b> intage (on rear of crown)</p> <p><a href="#">View Photo</a></p>
Mizuno	Intage X3	10.5°,11.5°,13°	<p><b>Sole:</b> intage, POWER TRJ X3, (loft)  <b>Toe:</b> (M logo)  <b>Back:</b> 3D MAGNESIUM CROWN TITANIUM BODY (dot) Be-Ni SOLE  <b>Heel:</b> CONFORMING TO R&amp;A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING  <b>Hosel:</b> MIZUNO</p> <p><a href="#">View Photo</a></p>
Mizuno	JPX E300	10°,11°	<p><b>Sole:</b> JPX, SUPER STRONG, FORGED TITANIUM, (10 vertical lines), MIZUNO  <b>Toe:</b> (Mizuno M logo)  <b>Back:</b> E300, HIGH C.O.R., MODEL, (loft)  <b>Heel:</b> CONFORMING TO R&amp;A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p><a href="#">View Photo</a></p>
Mizuno	JPX E300 Ladies	12.5°	<p><b>Sole:</b> JPX, SUPER STRONG, FORGED TITANIUM, (10 vertical lines), MIZUNO  <b>Toe:</b> (Mizuno M logo)  <b>Back:</b> E300, HIGH C.O.R., MODEL, (loft)  <b>Heel:</b> CONFORMING TO R&amp;A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p><a href="#">View Photo</a></p>
Mizuno	Mode B Ladies	12°	<p><b>Sole:</b> mode, MODE B POSITION, FORGED B TITANIUM, (line), 1 (loft)  <b>Toe:</b> G.F. FORGED  <b>Back:</b> MODE, Optimum Design based on, Dynamic Stiffness  <b>Hosel:</b> MIZUNO  <b>Crown:</b> mode</p> <p><a href="#">View Photo</a></p>

Mizuno	MP-001 C.O.R.	8°,9°,10°	<p><b>Sole:</b> (Mizuno M logo), Forged, MP-001, C.O.R., Mizuno, (loft)</p> <p><b>Toe:</b> Carbon Nano Tube</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Mizuno	MP-001 C.O.R. T/S	8.5°,9.5°,10.5°	<p><b>Sole:</b> (Mizuno M logo), FORGED, MP-001, C.O.R., MIZUNO, (loft)</p> <p><b>Toe:</b> CARBON NANO TUBE Tube T/S</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Mizuno	MP-001 C.O.R. TS+	8.5°,9.5°,10.5°	<p><b>Sole:</b> FORGED, MP-001, C.O.R., TS+, (loft)</p> <p><b>Toe:</b> CARBON NANO TUBE, (Mizuno M logo)</p> <p><b>Heel:</b> CONFORMING TO R&amp;A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p><a href="#">View Photo</a></p>
Mizuno	Presage Navigator	10°,13°	<p><b>Sole:</b> <b>PRESAGE</b>, Navigator, D-D Navigation Design, 1, (loft), MIZUNO</p> <p><b>Back:</b> FORGED TITANIUM</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>
Mizuno	Presage Sophia	13°	<p><b>Sole:</b> (Presage over P graphic), Sophia, 1 (loft (superscript))</p> <p><b>Crown:</b> (P alignment mark)</p> <p><a href="#">View Photo</a></p>
Mizuno	T-Zoid Forged Plus 310	9°,10°,11°	<p><b>Sole:</b> FORGED PLUS , 310, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM</p> <p><b>Crown:</b> T-ZOID (alignment mark)</p> <p><b>Back:</b> T-ZOID logo, CORTECHNO DESIGN</p> <p><a href="#">View Photo</a></p>
Mizuno	T-Zoid Forged Plus 350	9.5°,10.5°	<p><b>Sole:</b> FORGED PLUS , 350, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM</p> <p><b>Crown:</b> T-ZOID (alignment mark)</p> <p><b>Back:</b> T-ZOID logo, CORTECHNO DESIGN</p> <p><a href="#">View Photo</a></p>
Mizuno	T-Zoid Forged Face	9.5°,10.5°	<p><b>Sole:</b> FORGED FACE, T-ZOID, (loft), (line)</p> <p><b>Back:</b> Mizuno (with M logo)</p> <p><b>Crown:</b> T-ZOID, Titanium (at hosel)</p> <p><a href="#">View Photo</a></p>

Mizuno	T-Zoid	9.5°,10.5°	<p><b>Sole:</b> T-ZOID (in oval), (loft), (line)  <b>Toe:</b> (M logo)  <b>Back:</b> (ZOID through T)  <b>Heel:</b> CONFORMING TO R&amp;A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING  <b>Hosel:</b> MIZUNO</p> <p><a href="#">View Photo</a></p>
Monark Golf Supply	Hyper Sonic 400	9.5°	<p><b>Sole:</b> (loft), HYPER SONIC, 400, (line), c.c., MAX C.O.R.  <b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Monark Golf Supply	V Series 450cc	10.5°	<p><b>Sole:</b> (loft), ("V Series" on rounded triangle with horizontal lines), 450 cc  <b>Crown:</b> (dot alignment mark)</p> <p><a href="#">View Photo</a></p>
Monark Golf Supply	V Series 550cc	10.5°	<p><b>Sole:</b> (loft), (V Series on rounded triangle with horizontal lines), 550cc  <b>Crown:</b> (dot alignment mark)</p> <p><a href="#">View Photo</a></p>
Nakashima Golf	Htec	9.5°,11.5°	<p><b>Sole:</b> (loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending  <b>Back:</b> (N logo)  <b>Toe:</b> (Kanji characters)  <b>Crown:</b> (N logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Natural Golf Corp.	Tour Hammer 410cc	9°	<p><b>Sole:</b> NATURAL, (Natural Golf logo) Golf., TOUR, HAMMER (loft), .83 C.O.R., FORGED, BETA TITANIUM, 410cc  <b>Crown:</b> (Natural Golf logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Nike Golf	X-Face 350cc	8°,9.5°,10.5°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> (Nike logo), (loft)  <b>Face:</b> (X merged with FACE)</p> <p><a href="#">View Photo</a></p>
Nike Golf (Japan)	X-Face 380cc	9.5°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> 380, (Nike logo), (loft)  <b>Face:</b> (segmented grooves)</p>

Nike Golf (Japan)	X-Face 420cc	(click "view photo" for conforming version) 9.5°	<a href="#">View Photo</a> <b>Sole:</b> 420, (Nike logo), (loft) <b>Face:</b> (segmented grooves)
Nike Golf	Ignite+ 380	8.5°,9.5°,10.5°  (click "view photo" for conforming version)	<a href="#">View Photo</a> <b>Sole:</b> (five punchmarks), 380, (Nike logo), (loft), (five punchmarks) <b>Back:</b> (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) <b>Face:</b> 380+
Nike Golf	Ignite+ 410	9.5°,10.5°  (click "view photo" for conforming version)	<a href="#">View Photo</a> <b>Sole:</b> (five punchmarks), 410, (Nike logo), (loft), (five punchmarks) <b>Back:</b> (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) <b>Face:</b> 410+  <b>Crown:</b> (modified I in circle alignment mark)
Nike Golf	Ignite+ 460	9.5°,10.5°  (click "view photo" for conforming version)	<a href="#">View Photo</a> <b>Sole:</b> (five punchmarks), 460, (Nike logo), (loft), (five punchmarks) <b>Back:</b> (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) <b>Face:</b> 460+  <b>Crown:</b> (modified I in circle alignment mark)
Nike Golf	Ignite+ DFI 395	9.5°,10.5°  (click "view photo" for conforming version)	<a href="#">View Photo</a> <b>Sole:</b> 395, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert)  <a href="#">View Photo</a>
Nike Golf	Ignite+ DFI 460	9.5°,10.5°  (click "view photo" for conforming version)	<b>Sole:</b> 460, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert)  <a href="#">View Photo</a>

Nike Golf	SQ+ Max 460	9.5°,10.5°	<p><b>Sole:</b> (right triangle)460, (loft), SQ+ (Nike logo) <b>Face:</b> nexTI</p> <p><b>Hosel:</b> (four punchmarks)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p>(click "view photo" for conforming version)</p>
Nike Golf	SQ Sumo2 460 (Version 1)	7.5°,8.5°,9.5°,10.5°	<p><b>Sole:</b> (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA <b>Hosel:</b> (four punchmarks)</p> <p><a href="#">View Photo</a></p> <p>(click "view photo" for conforming version)</p>
Nike Golf	SQ Sumo2 460 Lucky 13 (Version 1)	13°	<p><b>Sole:</b> (triangle)460, LUCKY 13, SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA <b>Hosel:</b> (four punchmarks)</p> <p><a href="#">View Photo</a></p> <p>(click "view photo" for conforming version)</p>
Nikko Bussan Co. Ltd.	Coltess TC380	9.5°,10.5°	<p><b>Sole:</b> Composite Head, Titan with Carbon, COLTESS, TC380, (1 in circle), (loft)</p> <p><a href="#">View Photo</a></p>
Orlimar Golf	Trimetal Hip-Ti 420 COR	9.5°	<p><b>Sole:</b> (loft), ORLIMAR, TRIMETAL hipTi, 420cc</p> <p><b>Face:</b> (line) (line), COR, (line) (line)</p> <p><b>Crown:</b> (O alignment mark)</p> <p><a href="#">View Photo</a></p>
Outlook Sports	Howson GBH Attacker	10.5°	<p><b>Sole:</b> Howson, (3 lines) GBH (3 lines), ATTACKER, 1, (line),(loft)</p> <p><b>Face:</b> BETA TI</p> <p><b>Crown:</b> (O alignment mark)</p> <p><a href="#">View Photo</a></p>
Outlook Sports	Howson GBH Carbon Titanium	10.5°	<p><b>Sole:</b> Howson, (3 lines) GBH (3 lines), CARBON TITANIUM, 1, (loft), (line), 460CC</p> <p><b>Face:</b> BETA TI</p> <p><b>Crown:</b> (O alignment mark)</p> <p><a href="#">View Photo</a></p>
Outlook Sports	Predator	9°,10°	<p><b>Sole:</b> Lynx, (Lynx logo) PREDATOR (logo), (line), (loft)</p> <p><a href="#">View Photo</a></p>

Perfect Club Co. (The)	Perfect Driver	N/A	<p><b>Back:</b> 460cc-TI</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> (PERFECT, (curved line), DRIVER in triangle with 10 lines), 370cc, SP-700, VFT</p> <p><a href="#">View Photo</a></p>
Playing Pro	Spider	(click "view photo" for conforming version) 9°,10.5°	<p><b>Sole:</b> (loft), (spider graphic) PLAYING PRO, SPIDER</p> <p><b>Back:</b> (circular weight screw), (circular weight screw)</p> <p><b>Crown:</b> (logo alignment mark)</p> <p><a href="#">View Photo</a></p>
PowerBilt Golf	TPS 400	9°,10.5°  (click "view photo" for conforming version)	<p><b>Sole:</b> 1, TPS, (line), 400, (loft), FORGED BETA TITANIUM, (lightning bolt logo)</p> <p><b>Toe:</b> POWER(lightning bolt logo)BILT</p> <p><b>Crown:</b> (lightning bolt logo)</p> <p><a href="#">View Photo</a></p>
Ram Golf	Ram QUB3	9.5°,10.5°,12°	<p><b>Sole:</b> (loft), QUB3</p> <p><b>Back:</b> RAM (with R in circle)</p> <p><b>Heel:</b> 460CC/SQUARE TECHNOLOGY</p> <p><b>Crown:</b> R (in square)</p> <p><a href="#">View Photo</a></p>
Raven Golf	Tour Spec TM-4300 (LH)	N/A	<p><b>Sole:</b> RAVEN (w/ V graphic and diamond), TOUR SPEC 1, TM-4300, (five circular weights)</p> <p><b>Face:</b> SP-700</p> <p><a href="#">View Photo</a></p>
Razor Golf	John Boy & Billy Big Show	N/A	<p><b>Sole:</b> 1, (curved line), THE BIG, (curved line), JOHN BOY &amp; BILLY, (curved line), SHOW, (curved line), DUH HUH</p> <p><b>Back:</b> (recessed circular weight), (recessed circular weight)</p> <p><b>Toe:</b> Engineered by, Razor (w/ "o" golf ball graphic), (curved graphic), PLAY THE EDGE, Golf (w/ tm in "G")</p> <p><b>Face:</b> Beta Ti</p> <p><a href="#">View Photo</a></p>

Royaltee Golf	BT23	9.5°,11.5°	<p><b>Sole:</b> BT23, BETA TITANIUM, (Cadillac logo on circular insert), Royaltee, 1(loft), 420CC</p> <p><b>Crown:</b> (R logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Saso	MR <sup>2</sup> Square Pro	10.5°	<p><b>Sole:</b> mr<sup>2</sup>, (line), square, PRO, (Saso logo), SASO, 1, (I=∫∫∫Δmr<sup>2</sup>mx my mz through 1). (loft)</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard T9	(click "view photo" for conforming version) 10°, 11°	<p><b>Sole:</b> S-YARD, DRIVER, T9, -(loft)-</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard T9 BL	10°	<p><b>Sole:</b> T9 BL, DRIVER, S-YARD 1, Forged Titanium, -(loft)-</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard T9 FAO.5	9°, 10°	<p><b>Sole:</b> S-YARD, DRIVER, T9, FAO.5, Forged Titanium, -(loft)-</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard TX-1	(click "view photo" for conforming version) 9°,10°,11°	<p><b>Sole:</b> TX-1, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard TX-2	(click "view photo" for conforming version) 9°,10°,11°	<p><b>Sole:</b> TX-2, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
Seiko S-Yard Co., Ltd.	S-Yard Exelight	(click "view photo" for conforming version) 10.5°,13°	<p><b>Sole:</b> Exelight, DRIVER, Nano-Technology, Titanium, (Tungsten in oval), (circular weight insert), (S-YARD on oval insert), (circular weight insert)</p> <p><b>Toe:</b> (S logo)</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>

Slazenger Golf	K1 Speed	10°	<p><b>Sole:</b> (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology  <b>Toe:</b> HRC FORGED TA4, 460, CC, TITANIUM  <b>Back:</b> (loft)</p> <p><b>Face:</b> K1</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Slazenger Golf	K1 Speed (Ladies)	12°	<p><b>Sole:</b> (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology  <b>Toe:</b> HRC FORGED TA4, 460, CC, TITANIUM  <b>Back:</b> (loft)</p> <p><b>Face:</b> K1</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Sigma Golf (UK), Ltd.	PGA Pro Collection	10.5°	<p><b>Sole:</b> HCF, PGA, Pro, 1, Collection, (line), B-Titanium, (loft)  <b>Crown:</b> (alignment mark)</p> <p><b>Face:</b> K1</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Sigma Golf (UK), Ltd.	Power Play System Q Tri-Port	9°,10.5°,12°	<p><b>Sole:</b> 460cc (loft), SYSTEM, Q, TRI-PORT  <b>Toe:</b> Power Play, FADE  <b>Heel:</b> DRAW  <b>Face:</b> TI460  <b>Crown:</b> (alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
SMT Golf	455 Deep Bore	4°,5°	<p><b>Sole:</b> (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
SMT Golf	455 Deep Bore	4°	<p><b>Sole:</b> (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM</p> <p><b>Toe:</b> 384, (YDS in vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>

Sonartec, Inc.	Royal Collection Super CV B.B.D Type-H	7°,8°,9°,10°	<b>Sole:</b> SUPER CV, B.B.D, <<Type-H>>, ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft)  <a href="#">View Photo</a>
Sports Network Pte Ltd	Slazenger Tour Select TS 858	(click "view photo" for conforming version) 10.5°	<b>Sole:</b> 1, (loft), 460CC, TOUR SELECT, TS858, (panther logo), (line), Slazenger, (line)  <b>Face:</b> Beta Ti <b>Crown:</b> (panther logo alignment mark)  <a href="#">View Photo</a>
Stadium AB	DT 893	9.5°,11°	<b>Sole:</b> 4D, (3 lines)(4 dots)(3 lines), DT893, (loft)  <b>Toe:</b> (line) 460 (line) <b>Back:</b> (TPT in hexagon)  <a href="#">View Photo</a>
Straight 8 Golf	Straight 8 500cc	9°	<b>Sole:</b> (loft), STRAIGHT 8, O.G.S. TECHNOLOGY, FORGED TITANIUM  <a href="#">View Photo</a>
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime AX-Sole	10°,11.5°	<b>Sole:</b> XXIO, -PRIME-, (loft), FORGED, β Ti-Face 1, AX-SOLE  <b>Toe:</b> (triangle insert), Digital, Impact, (line), DUNLOP  <b>Crown:</b> (arrow alignment mark)  <a href="#">View Photo</a>
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime Impact Power Face (Heavyweight)	10.5°,11.5°	<b>Sole:</b> TITANIUM, XXIO, -PRIME- , DRIVER (loft) <b>Toe:</b> (oval insert), IMPACT, POWER, FACE <b>Crown:</b> (arrow alignment mark)  <a href="#">View Photo</a>
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime Impact Power Face (Lightweight)	10.5°,11.5°	<b>Sole:</b> TITANIUM, XXIO, -PRIME- , DRIVER (loft). <b>Toe:</b> (oval insert), IMPACT, POWER, FACE <b>Crown:</b> (arrow alignment mark)  <a href="#">View Photo</a>
Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Prime Impact Power Body	10.5°,11.5°	<b>Sole:</b> DIGITAL COMPOSITE, XXIO, -PRIME-, DRIVER (loft), (IMPACT POWER BODY on eye- shaped insert)  <b>Toe:</b> (DIGITAL, IMPACT, (two dots) on oval insert) <b>Back:</b> TITANIUM+Mg+CFRP

Sumitomo Rubber Industries, Ltd./SRI Sports	Twin AX-Sole XXIO	8°,9°,10°,11°,12°	<p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM</p> <p><b>Toe:</b> (oval insert), IMPACT, POWER, FACE</p> <p><b>Crown:</b> (arrow alignment mark)</p>
		(click "view photo" for conforming version)	
Sumitomo Rubber Industries, Ltd./SRI Sports	Twin AX-Sole XXIO Tour Model	8°,9°,10°	<p><b>Sole:</b> TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM.</p> <p><b>Toe:</b> (oval insert), IMPACT, POWER, FACE</p> <p><a href="#">View Photo</a></p>
		(click "view photo" for conforming version)	
Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Impact Power Body	8°,9°,10°,11°,12°	<p><b>Sole:</b> XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Toe:</b> XXIO, (line) BREAKTHROUGH (line), FOR FUTURE OF GOLF</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>
		(click "view photo" for conforming version)	
Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Hard Spec Impact Power Body	8°,9°,10°	<p><b>Sole:</b> XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)</p> <p><b>Toe:</b> XXIO, (line) BREAKTHROUGH (line), FOR FUTURE OF GOLF</p> <p><a href="#">View Photo</a></p>
		(click "view photo" for conforming version)	
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-201	8°,9°,10°	<p><b>Sole:</b> (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-, TRAJECTORY CONTROL</p> <p><b>Toe:</b> Srixon, (line under S)</p> <p><a href="#">View Photo</a></p>
		(click "view photo" for conforming version)	
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-302	7.5°,8.5°,9.5°,10.5°	<p><b>Sole:</b> SRIXON, (line under S), W-302, (loft), TRAJECTORY CONTROL, TITANIUM</p>

				<b>Toe:</b> Srixon, (line under S)
		(click "view photo" for conforming version)		<b>Heel:</b> COR exceeding .83
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-403 AD	9.5°,10.5°,11.5°	<a href="#">View Photo</a>	<b>Sole:</b> SRIXON, (line under S), W-403, AD, 1, (loft) <b>Back:</b> TITANIUM, ACCURACY, & DISTANCE <b>Toe:</b> Srixon, (line under S)
		(click "view" photo for conforming version)		<b>Toe:</b> Srixon, (line under S)
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-404	8.5°,9.5°,10.5°	<a href="#">View Photo</a>	<b>Sole:</b> TRAJECTORY CONTROL, SRIXON, (line under S), W-404, (loft), TITANIUM <b>Toe:</b> Srixon, (line under S)
		(click "view photo" for conforming version)		<b>Toe:</b> Srixon, (line under S)
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid CF 1	9°,10°,11°,12°	<a href="#">View Photo</a>	<b>Sole:</b> TITANIUM 1 (loft), (curved line), (logo in oval), HI-BRID, - CF 1- <b>Toe:</b> (three triangles in recessed triangle insert), ARCH, BULGE, (line), DESIGN <b>Crown:</b> (arrow alignment mark)
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid Adforce	9°,10°,11°,12°	<a href="#">View Photo</a>	<b>Sole:</b> HI-BRID, ADFORCE, (loft) 1, IMPACT POWER BODY, (DIGITAL IMPACT, (seven curved lines) on eye-shaped insert) <b>Toe:</b> (eye-shaped logo), HI-BRID, (line), WIDE SWEET AREA DESIGN <b>Back:</b> TUNGSTEN (circular weight insert) WEIGHT <b>Crown:</b> (arrow alignment mark)
Sun Valley Golf	White Gold 380cc	9°,10.5°,12°	<a href="#">View Photo</a>	<b>Sole:</b> (loft), $\beta$ -TI 1, SVG, WHITE, GOLD <b>Crown:</b> (arrow and dot alignment mark)
Swing Sync, USA	Swing Sync	10.5°	<a href="#">View Photo</a>	<b>Sole:</b> Beta Ti, Face, <b>Swing</b> , (recessed spoked wheel graphic) <b>Sync</b> , SINGLE FREQUENCY, SYSTEM, (loft), LOFT <b>Crown:</b> (arrow and dot alignment mark)

Synergy Golf International, Inc.	MT-360	(click "view photo" for conforming version) 8.5°,9.5°	<a href="#">View Photo</a> <b>Sole:</b> (Synergy logo), SYNERGY, <b>MT</b> 360, SP-700 Titanium <b>Face:</b> (Synergy logo) (loft), MWCL FACE <b>Toe:</b> (swinging golfer graphic) TOPPOINT®, (line)  <b>Crown:</b> (swinging golfer graphic)
TaylorMade Golf Co.	R300	7.5°,8.5°,9.5°	<a href="#">View Photo</a> <b>Sole:</b> <b>TaylorMade</b> (with Taylor Made logo T), (line), <b>R300</b> Ti, (loft) <b>Crown:</b> (TaylorMade logo alignment mark)
TaylorMade Golf Co.	R320	(click "view photo" for conforming version) 8.5°,9.5°,10.5°,12°	<a href="#">View Photo</a> <b>Sole:</b> <b>TaylorMade</b> (with Taylor Made logo T), (line), <b>R320</b> Ti, (loft) <b>Crown:</b> (TaylorMade logo alignment mark)
TaylorMade Golf Co.	R360	(click "view photo" for conforming version) 8.5°,9.5°,10.5°,12°	<a href="#">View Photo</a> <b>Sole:</b> <b>TaylorMade</b> (with Taylor Made logo T), (line), <b>R360</b> Ti, (loft) <b>Crown:</b> (TaylorMade logo alignment mark)
TaylorMade Golf Co.	R300 Tour	(click "view photo" for conforming version) 8.5°,9.5°	<a href="#">View Photo</a> <b>Sole:</b> TOUR, <b>TaylorMade</b> (with Taylor Made logo T), (line), <b>R300</b> Ti, (loft) <b>Crown:</b> (TaylorMade logo alignment mark)
TaylorMade Golf Co.	R320 Tour	(click "view photo" for conforming version) 8.5°,9.5°	<a href="#">View Photo</a> <b>Sole:</b> TOUR, <b>TaylorMade</b> (with Taylor Made logo T), (line), <b>R320</b> Ti, (loft) <b>Crown:</b> (TaylorMade logo alignment mark)
TaylorMade Golf Co.	R510	(click "view photo" for conforming version) 7.5°,8.5°,9.5°,10.5°	<a href="#">View Photo</a> <b>Sole:</b> <b>R510</b> , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)

TaylorMade Golf Co.	R540	7.5°,8.5°,9.5°,10.5°,12°	<p>(click "view photo" for conforming version)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> R540, (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	R580	7.5°,8.5°,9.5°,10.5°,12°	<p>(click "view photo" for conforming version)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> R580, (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	R360 XD	8.5°,9.5°,10.5°,11.5°	<p>(click "view photo" for conforming version)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> TaylorMade (with Taylor Made logo T), (line), R360 XD, (loft)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p>
TaylorMade Golf Co.	R540 XD	8.5°,9.5°,10.5°,12°	<p>(click "view photo" for conforming version)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> R540 XD, (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)</p> <p><b>Face:</b> (no score lines in the center)  <b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p>
TaylorMade Golf Co.	R580 XD	8.5°,9.5°,10.5°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> R580 XD, (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts)</p>

			<p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	Burner 860	8.5°,9.5°,10.5°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> TaylorMade (with Taylor Made logo T), BurneR, (line), 860, (loft), TI</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	XR-03	8.5°,9.5°,10.5°,11.5°,12.5°	<p><b>Sole:</b> (loft),(Taylor-Made logo T), (line), XR-03</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	XR-05	8.5°,9.5°,10.5°,11.5°,12.5°	<p><b>Sole:</b> (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert)</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	XR-05 Special Edition	9.5°,10.5°,11.5°	<p><b>Sole:</b> (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert)</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> Special Edition (in script)</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	XR-05 Cti	8.5°,9.5°,10.5°,11.5°	<p><b>Sole:</b> (loft), XR•05, Cti, (T logo surrounded by six dots within four-sided crescent insert)</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM, (line with two horizontal lines at each end), COMPOSITE</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	r7 Quad	7.5°,8.5°,9.5°,10.5°,11.5°	<p>(click "view photo" for conforming version)</p> <p><b>Sole:</b> r7 quad, (line), TaylorMade (with Taylor Made logo T)</p> <p><b>Back:</b> (loft)</p> <p><b>Face:</b> Max</p> <p><b>Crown:</b> (alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p>
TaylorMade Golf Co.	r7 XR	9.5°,10.5°,11.5°	<p><b>Sole:</b> r7, TaylorMade (with T logo), (weight insert) (XR on insert) (weight insert)</p> <p><b>Face:</b> (no score lines in the center)</p> <p><b>Crown:</b> (TaylorMade logo alignment mark)</p> <p><b>Toe:</b> TITANIUM</p> <p><b>Heel:</b> (loft)</p> <p><b>Face:</b> Max</p> <p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p>

TaylorMade Golf Co.	r7 XR (Ladies)	13°,11.5°,15°	<p><b>Toe:</b> TITANIUM</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> r7, TaylorMade (with TaylorMade T logo), (weight insert) (XR on insert) (weight insert)</p> <p><b>Heel:</b> (loft)</p> <p><b>Face:</b> Max</p> <p><b>Crown:</b> (alignment mark)</p> <p><b>Toe:</b> TITANIUM</p>
Team Yoshimura Co.	Tour Project W-One	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (W-ONE, COMPOSITE, COMPOSITE in circle), (line in circle)), TOUR PROJECT, (line), TITANIUM &amp; CARBON, (1 in circle)</p>
Tiger Sports, Inc.	Integra Sooolong II	7.5°,9°,10.5°,12°,14°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> INTEGRA, SOOOLONG, II, BI-FACE TECHNOLOGY, US PATENT:465535, 1 (loft), β-TI</p>
Tom Wishon Golf Technology	515 GRT 395cc	11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (line), 515 GRT, (line), 395cc, 0 ROLL, TECHNOLOGY, Wishon, Golf</p> <p><b>Face:</b> βTI</p>
Tom Wishon Golf Technology	525 GRT 460cc	11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (line), 525 GRT, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf</p> <p><b>Toe:</b> (Wishon logo), MILLED CROWN</p>
Tom Wishon Golf Technology	730 CL 400 High Launch	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 730 CL, (line), High Launch, DRIVER, 400cc, Titanium, Wishon, Golf</p> <p><b>Toe:</b> (Wishon Golf logo)</p> <p><b>Crown:</b> (triangle and line alignment mark)</p>
Tom Wishon Golf Technology	949 MC 460 High Launch	N/A	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> HIGH LAUNCH, (line), 949 MC, (line), 460cc, Wishon, Golf</p> <p><b>Toe:</b> (Wishon Golf logo), MILLED CROWN</p> <p><b>Crown:</b> (triangle and line alignment mark)</p>
Toppoint Corporation	MXX	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), MXX, DAT 55G (+ in box), 460cc</p> <p><b>Back:</b> X</p> <p><b>Toe:</b> MXX</p> <p><b>Face:</b> Beta Ti</p> <p><b>Crown:</b> MXX</p>

Tour Edge Golf	Bazooka 350 Ji High C.O.R.	8°,9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (golf club logo) Tour/Edge, (line), (loft), BAZ(+ over O)OKA, (line), FORGED BETA Ti, 350 Ji, HIGH C.O.R. .86  <b>Toe:</b> (Tour Edge logo)  <b>Crown:</b> (Tour Edge logo alignment mark)</p>
Tour Golf Products	TOURWOOD Beta TITANIUM	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TOURWOOD, 400, Beta, TITANIUM, 1 (loft)</p>
Tour Golf Products	TOURWOOD SWBII	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 520cc, <b>SWBII</b>, TOURWOOD, (loft), STRENGTH · ELASTICITY, SP700</p>
Traditional Sports Ltd.	JM 410 Force	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (JM 410 Force, (line), C-Face Technology over JM media blast), 1 (loft), β-TITANIUM  <b>Toe:</b> JM  <b>Face:</b> 15-3-3-3</p>
Trophy Sports	TF 505	8°, 10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TF 505 SERIES, TRAMPOLINE FACE, (omega symbol)TITANIUM, (loft)</p>
Trophy Sports	Integra SoooLong 450R	4°,6°,9°,10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, 1 (loft)</p>
Trophy Sports	Integra SoooLong 450R	(click "view photo" for conforming version) 6°,7.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, US PATENT:465535, 1 (loft)  <b>Toe:</b> INTEGRA</p>
Trophy Sports	Integra Tour 450cc	9°,10°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> TOUR, (obtuse triangle with two lines), β-Ti, 450CC, (five mock Phillips screws), (loft)  <b>Crown:</b> (arrow and dot alignment mark)</p>
TruPath Golf	BAD BOY 400cc	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> <b>BAD BOY</b> , (Bad Boy logo), <b>SERIES</b> , (loft), <b>FORGED TITANIUM 400CC</b>  <b>Toe:</b> TruPath Golf</p>
USP Brands, Ltd.	Progen Full Bore 2.3 375cc	12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 375cc</p>

USP Brands, Ltd.	Progen Full Bore 2.3 375cc Offset	12°	<p><b>Crown:</b> (alignment mark)</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), TITANIUM, PROGEN, full bore 2.3, offset, (loft), 375cc</p> <p><b>Crown:</b> (alignment mark)</p>
USP Brands, Ltd.	Progen Full Bore 2.3 420cc	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 420cc</p> <p><b>Crown:</b> (alignment mark)</p>
USP Brands, Ltd.	Progen Full Bore M420 Ti	10.5°,12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> full bore, M420 (underlined), Ti, (logo), DR 1 (loft)</p> <p><b>Toe:</b> 15-3-3-3 Beta Titanium</p> <p><b>Crown:</b> (alignment mark)</p>
USP Brands, Ltd.	Progen Full Bore M420 CCT Ti	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), full bore, M420 (underlined), CCT, DR 1 (loft)</p> <p><b>Toe:</b> Carbon Crown Technology</p> <p><b>Crown:</b> (alignment mark)</p>
USP Brands, Ltd.	Progen Full Bore M450 Ti	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (logo), full bore, M450 (underlined), Ti, DR 1 (loft)</p> <p><b>Toe:</b> SP700 Forged Titanium</p> <p><b>Crown:</b> (alignment mark)</p>
US Tour	Titanium 400	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> US TOUR (registered trademark symbol), (line), TITANIUM, 400, ASR 920 HYPER TITAN-(loft)</p>
US Tour	ARK 400	12°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (triangular plastic insert with US TOUR), PROVANTAGE, (curved line), US TOUR ARK, (curved line) 400, SUPER TOUR, (vertical line), (three circles with diamonds)</p> <p><b>Crown:</b> (arrow alignment mark)</p>
Voco (UK) Ltd.	Bay Hill Plasma	11°,13°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> BAY, (logo), HILL, PLASMA (w/ A in triangle), 1, (loft), 460cc</p> <p><b>Back:</b> BAY HILL PRO (logo)</p> <p><b>Crown:</b> (arrow alignment mark)</p> <p><a href="#">View Photo</a></p>

Vulcan Golf	Caldera Z460	11°	<p><b>Sole:</b> (six hexagons), (loft), Forged Beta Titanium, 460cc .830cor, Caldera 460, VULCAN (w/ V flame logo), GOLF, (six hexagons)</p> <p><b>Back:</b> (two hexagons), (two hexagons)</p> <p><b>Crown:</b> (V flame logo alignment mark)</p> <p><a href="#">View Photo</a></p>
Walk Golf GmbH	Phoenix HSS 380	10.5°	<p><b>Sole:</b> Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert</p> <p><b>Crown:</b> WALK GOLF</p> <p><a href="#">View Photo</a></p>
Walk Golf GmbH	Phoenix HSS 380 SL	13°	<p><b>Sole:</b> Forged Titanium, SL, WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert</p> <p><b>Crown:</b> WALK GOLF</p> <p><a href="#">View Photo</a></p>
Williams Golf	CO <sub>2</sub> Forged Ti 425	10°	<p><b>Sole:</b> (three punchmarks), CO<sub>2</sub>, FORGED TITANIUM, 425, (loft), (three punchmarks), ((semi-circle), WILLIAMS, (quarter circle) GOLF in oval insert)</p> <p><b>Face:</b> 15-3-3-3 TI</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Wilson Japan, Inc.	Deep Red PF 350	9°,10.5°	<p><b>Sole:</b> PF, 350 (loft), (W logo) Wilson, DEEP RED</p> <p><a href="#">View Photo</a></p>
Wilson Japan, Inc.	Deep Red PF 400	9°,10.5°	<p><b>Sole:</b> PF, 400 (loft), (W logo) Wilson, DEEP RED</p> <p><a href="#">View Photo</a></p>
Wilson Japan, Inc.	Deep Red PF 450	9°,10.5°	<p><b>Sole:</b> PF, 450 (loft), (W logo) Wilson, DEEP RED</p> <p><a href="#">View Photo</a></p>
Works Co., Ltd.	Maximax	9°	<p><b>Sole:</b> MAXIMAX, MAKE A MAXIMUM DISTANCE, FORGED TI, T.P.F. +HHP, (Works logo), WORKS, 1 335, (line), (loft)</p> <p><b>Face:</b> TPF, (line), HHP</p> <p><a href="#">View Photo</a></p>
Works Co., Ltd.	Dyna Super Force TiX Evolution	9.5°	<p><b>Sole:</b> DYNA, SUPER FORCE, TiX, SPECIALIZED MATERIAL, EVOLUTION, (Works logo), WORKS, 1 (loft)</p> <p><b>Face:</b> TPF, (line), HHP</p> <p><a href="#">View Photo</a></p>

Works Co., Ltd.	Dyna Extreme 370	9°	<p><b>Sole:</b> DYNA, EXTREME, TiX, hyper material, (Works logo), WORKS, PRO SPEC, 370, (line), (loft)</p>
Works Co., Ltd.	Dyna Exsior	9.5°,10.5°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> ULTRA 1.5, DYNA EXSIOR, FORGED TiX, (Works logo), WORKS, 360, (line), (loft)  <b>Back:</b> Inner Back Gravity  <b>Toe:</b> (Works logo)  <b>Face:</b> TPF, HHP</p>
Works Co., Ltd.	Ultimaizer V-01	9.5°,10.5°,11.5°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> Hyper Repulsion 2.1-2.5-2.1, (ULTIMAIZER over V-01 graphic), SP-700 FORGED Ti, TPF. + H.H.P., 400/(loft), (triangle)DRIVER(triangle), (Works logo), WORKS  <b>Toe:</b> (Works logo)</p>
Works Co., Ltd.	Ultimaizer V-01R Pro Spec 460	6°,7°,8°,9°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> powered by DAT55G+, ULTIMAIZER, (two lines)V-01R, (PROSPEC media blast), (Works logo)WORKS, 460/(loft), Triple Tuned Gravity, (circular weight)  <b>Back:</b> (circular weight)(R on rectangle insert)(circular weight)  <b>Toe:</b> (Works logo)W</p>
Yamaha Corporation	Femina 520	13°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> (1 in circle), Femina, 520., Yamaha  <b>Face:</b> Hyper_Dual  <b>Crown:</b> (alignment mark)</p>
Yamaha Corporation	Inpres D	9°,10°,11°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> (recessed circular insert with Yamaha logo), inpres D., (oval hosel insert)  <b>Back:</b> FULL-BODY FORGED 15-5-3 β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p>
Yamaha Corporation	Inpres D Light Version	12°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> (recessed circular insert with Yamaha logo), inpres D., Light Version, (oval hosel insert)  <b>Back:</b> FULL-BODY FORGED 15-5-3 β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p>
Yamaha Corporation	Inpres D Light	12.5°	<p style="text-align: right;"><a href="#">View Photo</a></p> <p><b>Sole:</b> inpres D, (line), Light, (oval hosel insert)</p>

Yamaha Corporation	Inpres D Over 0.870	9°,10°,11°	<p><b>Back:</b> FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p> <p><a href="#">View Photo</a></p> <p><b>Sole:</b> inpres D, (line), Over 0.870, (circular weight insert)</p> <p><b>Back:</b> FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p>
Yamaha Corporation	Inpres D-FX	10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> inpres D-FX, (line), Over 0.870, (circular weight insert)</p> <p><b>Back:</b> FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p>
Yamaha Corporation	Inpres D 405	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> inpres, Full-Body Forged, 15-5-3 β Ti FACE, 405D</p> <p><b>Toe:</b> Yamaha  <b>Back:</b> (Yamaha logo)  <b>Heel:</b> (loft)</p>
Yamaha Corporation	Inpres G	9°,10°,11°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (recessed circular insert with Yamaha logo), inpres G., (oval hosel insert)</p> <p><b>Back:</b> OPTIMUM COMPOSITE 2041 β Ti FORGED FACE (loft)  <b>Toe:</b> YAMAHA</p> <p>(click "view photo" for conforming version)</p>
Yamaha Corporation	Inpres GRX	10.5°,11.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> inpres, Full-Body Forged, 15-5-3 β Ti FACE, Over .880, GRX  <b>Toe:</b> Yamaha  <b>Back:</b> (Yamaha logo)  <b>Heel:</b> (loft)</p>
Yamaha Corporation	Inpres V	9°,10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (recessed circular insert with Yamaha logo), inpres V.</p> <p><b>Back:</b> FULL-BODY FORGED 15-5-3 β Ti FACE (loft)  <b>Toe:</b> YAMAHA</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>

Yamaha Corporation	Inpres V Over 0.870	9°,10°	<p><b>Sole:</b> (recessed circular insert with Yamaha logo), inpres V, (line), Over 0.870</p> <p><b>Back:</b> FULL-BODY FORGED 15-5-3 β Ti FACE (loft)</p> <p><b>Toe:</b> YAMAHA</p> <p><a href="#">View Photo</a></p>
Yamaha Corporation	Inpres V 350	9°,10°	<p><b>Sole:</b> inpres, Full-Body Forged, 15-5-3 β Ti FACE, 350V</p> <p><b>Toe:</b> Yamaha</p> <p><b>Back:</b> (Yamaha logo)</p> <p><b>Heel:</b> (loft)</p> <p><a href="#">View Photo</a></p>
Yamaha Corporation	Inpres V-MX	10°,10.5°	<p><b>Sole:</b> inpres V-MX, (line), Over 0.870, (circular weight insert)</p> <p><b>Back:</b> FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)</p> <p><b>Toe:</b> YAMAHA</p> <p><a href="#">View Photo</a></p>
Yamaha Corporation	Inpres V-MX 380	9.5°,10.5°	<p><b>Sole:</b> inpres, Full-Body Forged, 15-5-3 β Ti FACE, 380V-MX</p> <p><b>Toe:</b> Yamaha</p> <p><b>Back:</b> (Yamaha logo)</p> <p><b>Heel:</b> (loft)</p> <p><a href="#">View Photo</a></p>
Yamaha Corporation	SECRET 01	9°,10°,11°	<p><b>Sole:</b> SECRET 01, 1, (loft), YAMAHA</p> <p><b>Face:</b> HYPER-DUAL</p> <p><b>Crown:</b> (Y alignment mark)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Yokohama Rubber Co., Ltd.	Reverse Titanium Type 310	9°	<p><b>Sole:</b> FORGED 1, β, Titanium •, (line), Reverse, Type 310, DATA WOOD, (line), PRGR</p> <p><b>Toe:</b> H/S, Head Speed</p> <p><b>Heel:</b> GROOVE, SURROUND</p> <p><a href="#">View Photo</a></p>
Yokohama Rubber Co., Ltd.	PRGR Speed Titan	9°,10°	<p><b>Sole:</b> PRGR (logo) SPEED TITAN TR, FORGED, INNER POWER, (line), 1</p> <p><b>Toe:</b> PRGR</p> <p><b>Heel:</b> LOFT (loft), INNER POWER</p> <p><a href="#">View Photo</a></p>
Yokohama Rubber Co., Ltd.	TR 340 Duo	10.5°	<p><b>Sole:</b> TR 340, (line), Dual Composite, (figure eight), PRGR</p> <p><b>Toe:</b> Duo, Dual (figure eight) Composite (in figure eight insert)</p>

Yokohama Rubber Co., Ltd.	TR 340 Duo	9°, 10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> LOFT (loft), TR 340, (line), Dual Composite, (figure eight), PRGR  <b>Toe:</b> Duo, Dual (figure eight) Composite (in figure eight insert)</p>
Yokohama Rubber Co., Ltd.	TR-X 370 Duo	9°, 10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> LOFT (loft), TR-X 370, (line), Dual Composite, (figure eight), PRGR  <b>Toe:</b> Duo, Dual (figure eight) Composite (in figure eight insert)</p>
Yokohama Rubber Co., Ltd.	TR-X 370 Duo Soft	11.5°, 12.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> LOFT (loft), TR-X 370, (line), Dual Composite, (figure eight), PRGR  <b>Back:</b> (SOFT-CFRP in oval)  <b>Toe:</b> Duo, Dual (figure eight) Composite (in figure eight insert)</p>
Yokohama Rubber Co., Ltd.	TR-X 405	9°, 10.5°, 11.5°, 12.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> LOFT (loft), TR-X, type 405, (circular weight insert), Dual (figure eight) Composite, PRGR  <b>Toe:</b> Duo, Dual (figure eight) Composite, Soft-CFRP</p>
Yokohama Rubber Co., Ltd.	TR-X Duo Compression	9°, 10.5°, 11.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), TR-X Duo, Compression, PRGR  <b>Toe:</b> Duo, Compression, 2  <b>Back:</b> Head Compression Regular</p>
Yokohama Rubber Co., Ltd.	TR Duo Compression	9°, 10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), TR Duo, Compression, PRGR  <b>Toe:</b> Duo, (line), Compression, 2  <b>Back:</b> Head Compression Hard</p>
Yonex Corporation	REXKING EX	10.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> <b>REXKING EX</b>, (Yonex logo), 1 (loft), (circle) YONEX  <b>Face:</b> MUSCLE, POWER FACE</p>
Yonex Corporation	Cyber Star 3000	9°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b>, 3000, (circle), (Yonex logo), YONEX  <b>Face:</b> MUSCLE, POWER FACE  <b>Crown:</b> (Yonex logo alignment arrow)</p>

Yonex Corporation	Cyber Star 3000	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b> , 3000, (Yonex logo), YONEX, (circle) <b>Heel:</b> (line) TUNGSTEN BALANCED (line)</p> <p><b>Face:</b> MUSCLE, POWER FACE</p>
Yonex Corporation	Cyber Star 3000	8.5°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (crescent), <b>CYBER STAR</b> , 3000, (circle), (Yonex logo), YONEX <b>Heel:</b> (line) TUNGSTEN BALANCED (line), LOFT (loft)</p> <p><b>Face:</b> MUSCLE, POWER FACE</p>
Yonex Corporation	Cyber Star 3000 Spec 360	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b> , 3000, SPEC , 360, (circle), (Yonex logo), YONEX <b>Heel:</b> (line) TUNGSTEN BALANCED (line) <b>Face:</b> MUSCLE, POWER FACE</p> <p>(click "view photo" for conforming version)</p>
Yonex Corporation	Cyber Star 3000 Spec 400	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> 1 (loft), <b>CYBER STAR</b> , 3000, SPEC 400, (circle), (Yonex logo), YONEX <b>Heel:</b> (line)TUNGSTEN BALANCED(line)</p>
Yonex Corporation	Cyber Star 5000 Spec 355	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (Yonex logo) YONEX, (circle), <b>CYBER STAR</b> , 5000, SPEC 355</p> <p>(click "view photo" for conforming version)</p>
Yonex Corporation	Cyber Star 5000 Spec 385	10°	<p><a href="#">View Photo</a></p> <p><b>Sole:</b> (loft), (Yonex logo) YONEX, (circle), <b>CYBER STAR</b> , 5000, SPEC 385</p> <p>(click "view photo" for conforming version)</p>
Yonex Corporation	Cyber Star Grand Spec 380	10.5°	<p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b>, Grand, (circle), (Yonex logo), YONEX</p> <p><b>Back:</b> SPEC 380</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>

Yonex Corporation	Cyber Star Grand Spec 410	10.5°	<p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b>, Grand, (circle), (Yonex logo), YONEX</p> <p><b>Back:</b> SPEC 410</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Yonex Corporation	Cyber Star Grand Spec 450	10.5°	<p><b>Sole:</b> (crescent), 1 (loft), <b>CYBER STAR</b>, Grand, (circle), (Yonex logo), YONEX</p> <p><b>Back:</b> SPEC 450</p> <p><a href="#">View Photo</a></p>
Yonex Corporation	Cyber Star Power Brid	10.5°,11.5°	<p><b>Sole:</b> CYBERSTAR, POWER BRID, (oval), (loft)</p> <p><b>Toe:</b> ((Yonex logo) YONEX in recessed rectangle)</p> <p>(click "view photo" for conforming version)</p> <p><a href="#">View Photo</a></p>
Yonex Corporation	Cyber Star Power Brid RX	9.5°,10.5°	<p><b>Sole:</b> CYBERSTAR, POWER BRID, RX (oval), (loft)</p> <p><b>Toe:</b> ((Yonex logo) YONEX in recessed rectangle)</p> <p><a href="#">View Photo</a></p>
Yonex Corporation	Cyberstar Nanov (Version 1)	11°	<p><b>Sole:</b> CYBERSTAR, NANOV, 1 (loft)</p> <p><b>Toe:</b> (logo) Yonex</p> <p><b>Heel:</b> CONFORMING TO, R&amp;A/USGA RULE</p> <p><a href="#">View Photo</a></p>
Yonex Corporation	V-Mass 400 SE+ Spec 350	9°,10.5°,12°	<p><b>Sole:</b> 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)</p> <p><b>Back:</b> SPEC 350cc (space) TITANIUM</p> <p><b>Toe:</b> (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line). (line)</p> <p><b>Crown:</b> (Yonex logo alignment mark)</p> <p><a href="#">View Photo</a></p> <p>(click "view photo" for conforming version)</p>
Yonex Corporation	V-Mass 400 SE+ Spec 400	9°,10.5°,12°	<p><b>Sole:</b> 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)</p> <p><b>Back:</b> SPEC 400cc (space) TITANIUM</p> <p><b>Toe:</b> (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line). (line)</p> <p><b>Crown:</b> (Yonex logo alignment mark)</p>

Yonex Corporation

V-Mass 400FL SE+ Spec 350 12°

[View Photo](#)

**Sole:** 1 (loft), V-mass, 400FL SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)

**Back:** SPEC 350cc (space) TITANIUM

**Toe:** (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line). (line)

**Crown:** (Yonex logo alignment mark)

[View Photo](#)

